



# Orbix® 3.3

---

## SSL Installation Guide

Service Pack 10, May 2009

© 2009 Progress Software Corporation and/or its affiliates or subsidiaries. All rights reserved.

These materials and all Progress® software products are copyrighted and all rights are reserved by Progress Software Corporation and/or its affiliates or subsidiaries. The information in these materials is subject to change without notice, and Progress Software Corporation and/or its affiliates or subsidiaries assume no responsibility for any errors that may appear therein. The references in these materials to specific platforms supported are subject to change.

---

A (and design), Actional, Actional (and design), Allegrix, Allegrix (and design), Apama, Apama (and Design), Artix, Business Empowerment, DataDirect (and design), DataDirect Connect, DataDirect Connect64, DataDirect Technologies, DataDirect XML Converters, DataDirect XQuery, DataXtend, Dynamic Routing Architecture, EasyAsk, EdgeXtend, Empowerment Center, Fathom, IntelliStream, IONA, IONA (and design), Mindreef, Neon, Neon New Era of Networks, O (and design), ObjectStore, OpenEdge, Orbix, PeerDirect, Persistence, POSSENET, Powered by Progress, PowerTier, Progress, Progress DataXtend, Progress Dynamics, Progress Business Empowerment, Progress Empowerment Center, Progress Empowerment Program, Progress OpenEdge, Progress Profiles, Progress Results, Progress Software Developers Network, Progress Sonic, ProVision, PS Select, SequelLink, Shadow, ShadowDirect, Shadow Interface, Shadow Web Interface, SOAPscope, SOAPStation, Sonic, Sonic ESB, SonicMQ, Sonic Orchestration Server, Sonic Software (and design), SonicSynergy, SpeedScript, Stylus Studio, Technical Empowerment, WebSpeed, Xcalia (and design), and Your Software, Our Technology-Experience the Connection are registered trademarks of Progress Software Corporation or one of its affiliates or subsidiaries in the U.S. and/or other countries.

AccelEvent, Apama Dashboard Studio, Apama Event Manager, Apama Event Modeler, Apama Event Store, Apama Risk Firewall, AppsAlive, AppServer, ASPen, ASP-in-a-Box, BusinessEdge, Cache-Forward, DataDirect Spy, DataDirect SupportLink, FUSE, FUSE Mediation Router, FUSE Message Broker, FUSE Services Framework, Future Proof, Ghost Agents, GVAC, High Performance Integration, Looking Glass, ObjectCache, ObjectStore Inspector, ObjectStore Performance Expert, OpenAccess, Pantero, POSSE, ProDataSet, Progress ESP Event Manager, Progress ESP Event Modeler, Progress Event Engine, Progress RFID, PSE Pro, SectorAlliance, SeeThinkAct, SmartBrowser, SmartComponent, SmartDataBrowser, SmartDataObjects, SmartDataView, SmartDialog, SmartFolder, SmartFrame, SmartObjects, SmartPanel, SmartQuery, SmartViewer, SmartWindow, Sonic Business Integration Suite, Sonic Process Manager, Sonic Collaboration Server, Sonic Continuous Availability Architecture, Sonic Database Service, Sonic Workbench, Sonic XML Server, StormGlass, The Brains Behind BAM, WebClient, Who Makes Progress, and Your World. Your SOA. are trademarks or service marks of Progress Software Corporation or one of its affiliates or subsidiaries in the U.S. and other countries.

Java and all Java-based marks are trademarks or registered trademarks of Sun Microsystems, Inc. in the U.S. and other countries. Any other trademarks contained herein are the property of their respective owners.

Updated: November 12, 2009

# Contents

<b>Chapter 1</b>	<b>Installing OrbixSSL 3.3 SP 10</b>	<b>1</b>
	Introduction	2
	Prerequisites to Installing OrbixSSL 3.3 SP 10	4
	Installing OrbixSSL 3.3 SP 10 without the GUI	10
	Installing OrbixSSL 3.3 SP 10 with the GUI	11
	Verifying your Installation	12
	Uninstalling OrbixSSL 3.3 SP 10	14
	Further Information	15

## CONTENTS

# Installing OrbixSSL 3.3 SP 10

*This document provides instructions for installing OrbixSSL 3.3 SP 10 on Windows, Solaris, and HP-UX. OrbixSSL 3.3 SP 10 requires an existing installation of Orbix 3.3 SP 10.*

---

**In this document**

This chapter discusses the following topics:

<a href="#">Introduction</a>	<a href="#">page 2</a>
<a href="#">Prerequisites to Installing OrbixSSL 3.3 SP 10</a>	<a href="#">page 4</a>
<a href="#">Installing OrbixSSL 3.3 SP 10 without the GUI</a>	<a href="#">page 10</a>
<a href="#">Installing OrbixSSL 3.3 SP 10 with the GUI</a>	<a href="#">page 11</a>
<a href="#">Verifying your Installation</a>	<a href="#">page 12</a>
<a href="#">Uninstalling OrbixSSL 3.3 SP 10</a>	<a href="#">page 14</a>
<a href="#">Further Information</a>	<a href="#">page 15</a>

# Introduction

---

## Overview

This document provides instructions for installing OrbixSSL 3.3 SP 10 on the following platforms:

- Windows XP
- Solaris 9 (SPARC)
- Solaris 10 (SPARC)
- HP-UX 11i (11.11)
- HP-UX 11i v2 (11.23)

OrbixSSL 3.3 SP 10 requires an existing installation of Orbix 3.3 SP 10. OrbixSSL 3.3 SP 10 is enabled by license codes for Orbix 3.3 SP 10 Java Edition or C++ Edition.

**Note:** Due to legal restrictions in some countries, the OrbixSSL 3.3 SP 10 CD-ROM is not supplied with Orbix 3.3 SP 10.

---

## JRE requirements

The OrbixSSL 3.3 SP 10 installation was built with InstallAnywhere, which is a Java application. The installer requires a JRE (Java Runtime Environment). Before launching the installer, you should provide the JRE yourself (see [“Installation prerequisites” on page 4](#)), or use a pre-installed JRE or JDK.

---

## Installation steps

To install OrbixSSL 3.3 SP 10, follow these steps:

- Check the prerequisites to installing OrbixSSL 3.3 SP 10.
- Install OrbixSSL 3.3 SP 10 on your host machine.
- Verify your installation.

---

**Before you begin your installation**

Before installing Orbix 3.3 SP 10, see the latest version of the *Orbix 3.3 SP 10 Release Notes*, and check for any updates to this *Installation Guide* on the following web page:

<http://www.iona.com/support/docs/orbix/gen3/orbix33.xml>

**Note:** OrbixSSL 3.3 SP 10 cannot be installed on machines that do not support 256 (8 bit) colors. This is because the Orbix installer is built on the Java platform, which does not support 16 colors.

**Note:** When installing OrbixSSL 3.3 SP 10 using PCAnywhere (over a remote client), use a display resolution of type VGA (640 x 480).

---

**Orbix 3.3 SP 10 license codes**

You must have a valid license code to install OrbixSSL 3.3 SP 10 Java Edition, OrbixSSL 3.3 SP 10 C++ Edition, and OrbixOTS. All other components of OrbixSSL 3.3 SP 10 are activated by these license codes. The code is a long numeric string taking the general form:

00000000-11111111-22222222-33333333-44444444

Your license code should be included in a loose sheet in your OrbixSSL 3.3 SP 10 pack. Otherwise, because OrbixSSL 3.3 SP 10 is a service pack release of Orbix 3.3, the license codes provided for Orbix 3.3 are valid for OrbixSSL 3.3 SP 10. If you do not have any license codes, please contact Support before proceeding any further.

---

# Prerequisites to Installing OrbixSSL 3.3 SP 10

---

## Existing Orbix installations

You must install OrbixSSL 3.3 SP 10 into the same location as an existing Orbix 3.3 SP 10 Java Edition or C++ Edition installation. The existing installation is updated by the OrbixSSL 3.3 SP 10 installation.

**Note:** Do not install OrbixSSL 3.3 SP 10 on to an older version of Orbix.

---

## Installation prerequisites

The installation prerequisites are as follows:

Prerequisite	Notes
Privileges	<p><b>General</b></p> <p>To install in a non-default location, you must have permission to create files and directories in that location.</p> <p><b>Windows</b></p> <p>To install in the default location, Windows users must have administrator privileges.</p> <p><b>UNIX</b></p> <p>To install into the default location, UNIX users must have root privileges.</p>



Prerequisite	Notes
UNIX DISPLAY	<p>The installer was built using InstallAnywhere, which is a GUI application. To install OrbixSSL 3.3 SP 10 without the GUI, see <a href="#">“Installing OrbixSSL 3.3 SP 10 without the GUI”</a> on page 10.</p> <p>For a GUI application to run on UNIX, you need to install on a UNIX host with X and a windowing environment configured. You need to ensure your display environment variable is set to the workstation you are logged into. For example, set the following environment variable, substituting the full Domain Name System (DNS) name of your workstation for <code>imaginary.dublin.iona.ie</code>:</p> <pre>export DISPLAY=imaginary.dublin.iona.ie:0.0</pre> <p>Contact your system administrator if you require assistance.</p>
JRE	<p>The installer was built using InstallAnywhere, which is a Java application, and requires a JRE. You must provide the location of the JRE for the installation to run.</p> <p>You need access on all platforms to an existing JRE (or JDK) version 1.5.0 or higher. Alternatively, you should obtain and install the JRE yourself on your system before running the installer. When installing a JRE, install all required patches on all platforms.</p>
Domain name	<p>The installer requires your domain name for OrbixSSL 3.3 SP 10 configuration. The Domain Name System (DNS) to resolve Internet or UNIX computer names. Contact your network administrator to obtain the domain name for your TCP/IP internet prior to installing Orbix 3.3 SP 10.</p>

**CD-ROM location of installers**

---

The OrbixSSL 3.3 SP 10 installers on the CD-ROM are located in a specific directory for each platform. Browse the CD-ROM to find the installer for your platform. For example, the Solaris installers are located as follows:

```
/cdrom/SOLARIS/install.bin
```

---

**Mounting the CD-ROM**

The following commands can be used to mount the CD-ROM on the platforms indicated:

Platform	Command
Windows	No command required for Windows.
Solaris	<code>mount -F hsfs -o ro /dev/dsk/clt6d0s0 /cdrom</code>
HP-UX	<code>mount -F cdfs -o cdcase /dev/dsk/c3t2d0 /cdrom</code>

Depending on your system configuration, `/cdrom` might have to be replaced with a different mount point. Contact your system administrator if you require assistance with this.

The values shown for the UNIX device controller are examples only and will vary depending on your system.

**Operating systems and compilers** Table 1 shows the operating systems and compilers supported by Orbix 3.3 SP 10 at the time of this release. Please refer to the following web page for any changes to this list after the release:  
[http://web.progress.com/orbix/supported\\_platforms.html](http://web.progress.com/orbix/supported_platforms.html)

**Table 1:** *Supported Platforms and Compilers*

Operating System	Hardware	C++ Compiler	JDK	OS Patches, C++/JRE
Windows XP	x86/x64	Visual C++ 6 SP3 (32-bit)	JDK 5, 6 (32-bit)	x86/Windows XP SP2 Java (JRE or SDK) 1.5 or 1.6
Solaris 9	SPARC	Sun Studio 8 (32-bit)	JDK 5, 6 (32-bit)	112963-03: SunOS 5.9: linker patch 111711-01: 32-bit Shared library patch for C++ 111712-01: 64-bit Shared library patch for C++ 112661-02: SunOS 5.9: IIM and X Input & Output Method patch 112785-09: X11 6.6.1: Xsun patch
Solaris 10	SPARC	Sun Studio 11 (32-bit)	JDK 5, 6 (32-bit)	Base level patches
HP-UX 11i (11.11)	PA-RISC	aCC 3.7x (32-bit)	JDK 5, 6 (32-bit)	All Y2K patch bundles and recommended operating system patches up to December 1999 PHSS_22898 HP aC++ -AA runtime libraries  Patches can be displayed by using the following commands:  <pre>swlist -l product '*ava*' swlist -l product 'PH??_*' swlist   grep PH swlist   grep XS</pre>

**Table 1:** *Supported Platforms and Compilers*

Operating System	Hardware	C++ Compiler	JDK	OS Patches, C++/JRE
HP-UX 11.23 (IA-64)	Itanium 2	aCC 6.1x (32-bit)	JDK 5, 6 (32-bit)	All recommended operating system patches up to March 2004. PHSS_29659 aC++ runtime (A.05.55) Patches can be displayed by using the following commands:  <pre>swlist -l product '*ava*' swlist -l product 'PH??_*' swlist   grep PH swlist   grep XS</pre>

It is recommended that you install all the patches listed in this section to avoid any potential issues. Please consult specific vendor websites for more information on patches.

### Disk space requirements

The following table lists the approximate amount of disk space taken up by the OrbixSSL 3.3 files. The install program also requires approximately 50 MB of temporary work space.

Component	Linux	Windows	Tru64	AIX 5.2	AIX 5.3
OrbixSSL	30 MB	30 MB	30 MB	30 MB	30 MB

**Note:** On Windows, please check that you have enough disk space before starting the installation.

**Default location**

Please install OrbixSSL 3.3 SP 10 into an existing Orbix 3.3 SP 10 installation. Select the same location as your Orbix 3.3 SP 10 installation. The default location of your Orbix 3.3 installation is as follows:

Platform	Default Location
UNIX main installation	/opt/iona
UNIX variable files	/var/opt/iona
Windows	c:\iona

**Note:** OrbixSSL 3.3 SP 10 installs in a fixed location relative to the path you specify. Installing into a non-default location creates a copy of the default location path relative to the non-default location. Installing in locations with spaces in their directory names is not recommended.

# Installing OrbixSSL 3.3 SP 10 without the GUI

## Overview

Installing OrbixSSL 3.3 SP 10 in silent install mode allows you to run the installer without using the GUI. The silent mode installer looks to a template file that provides the required information.

For more detailed information, see the following Knowledge Base article (4087.633):

[Silent Mode of Installation for Orbix and SSL Installers Version 3.3.3 and Above](#)

## Installing in silent mode

- To install in silent mode, use the following command:

```
$ ./install.bin -f /path/to/template.file
```

*template.file* should contain the following information:

```
##Specimen properties for Solaris 2.9 silent install with licence codes
##-----
##C++, Java, and OTS
##-----
##Specify the directory where you want Orbix 3.3 SP 10 installed
USER_INSTALL_DIR=/path/to/install/dir
##Specify the location of your Java Development Kit
JAVA_LOCATION=/path/to/jdk/dir
##Specify your Java version
JAVA_VERSION=1.6
##Specify a silent install
INSTALLER_UI=SILENT
##Specify the components of Orbix you want to install
PRODUCTS="Orbix 3.3 - Java Edition and C++ Edition with OrbixOTS 3.3"
##Specify your licence keys: c++, java, and ots
LICENCE_KEY_1=<Licence Key1>
LICENCE_KEY_2=<Licence Key2>
LICENCE_KEY_3=<Licence Key2>
##Specify the domain for the installation
DOMAIN=emea.progress.com
```

---

# Installing OrbixSSL 3.3 SP 10 with the GUI

---

## Overview

This section describes how to install OrbixSSL 3.3. SP 10 using the GUI installer, which is based on InstallAnywhere.

---

## Installation steps

To install OrbixSSL 3.3. SP 10 using the GUI, perform the following steps:

1. In the **Locate Orbix 3.3 Installation** screen, enter the file location that you wish to install OrbixSSL 3.3 SP 10 into, and click **Next** to continue.

**Note:** You must have permission to create files and directories in this location.

2. In the **License Agreement** screen, click **Yes** to agree to the terms of the License Agreement, and click **Next** to continue.
3. In the **License Information** screen, enter your license code. Click **Next** to continue.
4. In the **Domain Information** screen, enter your domain information, and click **Next** to continue.
5. In the **JDK Configuration** screen, enter the location of your Java Development Kit. This is not required for OrbixSSL 3.3 SP 10 C++ Edition. Click **Install** to continue.
6. A progress bar is displayed while the files are installed.
7. After the installation is complete, the Orbix welcome page launches automatically.
8. In the **Reboot Computer** screen, choose whether to restart your computer now or later.
9. The **Install Complete** screen is displayed to confirm that the installation is finished. Click **Done** to finish the installation.

# Verifying your Installation

## Configuration checks

When the installation is complete, follow these steps to ensure correct operation:

1. Check the contents of the Orbix configuration files, to ensure that the specified directory paths and domain name match those for your site.

Platform	Location
UNIX	/opt/iona/config/orbixssl.cfg /opt/iona/config/openssl.cnf
Windows	C:\iona\config\orbixssl.cfg C:\iona\config\openssl.cnf

**Note:** OrbixSSL security is initially disabled after installation as the default value of `IT_DISABLE` in `orbixssl.cfg` is set to `true`. For instructions on enabling OrbixSSL security, see chapter 2, Getting Started with OrbixSSL in *OrbixSSL C++ Programmer's and Administrator's Guide*, or *OrbixSSL Java Programmer's and Administrator's Guide*

2. Read the *OrbixSSL 3.3 SP 10 Release Notes*.
3. For instructions on how to run the example applications with OrbixSSL security, see chapter 2, Getting Started with OrbixSSL in the *OrbixSSL C++ Programmer's and Administrator's Guide* or *OrbixSSL Java Programmer's and Administrator's Guide*. The most up-to-date versions of all Orbix 3.3 documents are available on the Orbix 3.3 documentation web page.

**Note:** The certificates updated by the OrbixSSL update utility at installation time are for use by OrbixSSL example programs only, and should not be used for deployed applications. The process of creating and signing certificates is described in detail in Chapter 4 of the *OrbixSSL C++ Programmer's and Administrator's Guide* or the *OrbixSSL Java Programmer's and Administrator's Guide*.



---

### Reinstalling the license code

If you entered the license authorization key incorrectly or left it blank during installation, you should reinstall OrbixSSL 3.3 SP 10.

**Note:** OrbixSSL 3.3 SP 10 is enabled with Orbix 3.3 SP 10 Java Edition or C++ Edition license codes.

---

# Uninstalling OrbixSSL 3.3 SP 10

---

## Uninstalling OrbixSSL

To uninstall OrbixSSL 3.3 SP 10, run the `UninstallOrbix` file in the `UninstallOrbix` directory of your OrbixSSL 3.3 SP 10 installation. For example:

Platform	Uninstall script
UNIX	<code>/opt/iona/UninstallOrbix/UninstallOrbix</code>
Windows	<code>C:\iona\UninstallOrbix\UninstallOrbix</code>

**Note:** The uninstaller removes the complete installation of OrbixSSL 3.3 SP 10, but does not remove any files added or generated after installation (for example, log files, executables generated in demo runs, implementation repositories, and so on). If OrbixSSL has been installed, it should be uninstalled first.

---

# Further Information

---

## **Technical support**

If you require further technical assistance with using this product, please see the following web page:

[http://www.progress.com/support\\_main/index.ssp](http://www.progress.com/support_main/index.ssp)

