



Micro Focus VisiBroker 8.5.4

VisiNotify Guide

Micro Focus
The Lawn
22-30 Old Bath Road
Newbury, Berkshire RG14 1QN
UK

<http://www.microfocus.com>

Copyright © Micro Focus 2009-2017. All rights reserved.

MICRO FOCUS, the Micro Focus logo and Micro Focus Licensing are trademarks or registered trademarks of Micro Focus Development Limited or its subsidiaries or affiliated companies in the United States, United Kingdom and other countries. All other marks are the property of their respective owners.

2016-12-21

Contents

Introduction to VisiBroker	1
Accessing VisiBroker online help topics in the standalone Help Viewer	1
Accessing VisiBroker online help topics from within a VisiBroker GUI tool	1
Documentation conventions	1
Platform conventions	2
Contacting Micro Focus	2
Further Information and Product Support	2
Information We Need	3
Contact information	3
Introduction to VisiNotify	5
OMG Event/Notification Service Communication Model	5
OMG Event/Notification Service Object Model	6
VisiNotify features	8
Superior throughput and scalability	8
Superior performance with event persistence	9
Valuetype support	9
Typed channel support	9
Publish/Subscribe Adapter (PSA)	10
Typed pulling without using Pull<I> interface	10
Explicit RMI and EJB support	10
Connection persistence	10
Self-adaptive asynchronous flow control	11
QoS and filter support	11
Thread on demand	11
Developing supplier and consumer applications	13
Using pre-defined Event/Notification Services	13
Developing push consumer applications	13
C++ push consumer example	14
Java push consumer example	15
Develop pull consumer applications	16
C++ pull consumer example	16
Java pull consumer example	17
Developing push supplier applications	18
C++ push supplier example	18
Java push supplier example	19
Developing pull supplier applications	19
C++ pull supplier example	20
Java pull supplier example	21
Using Typed Event/Notification Service	22
Developing typed push consumer applications	23
C++ typed push consumer example	24
Java typed push consumer example	25
Developing typed push supplier applications	26
C++ typed push supplier example	27
Java typed push supplier example	27
Developing RMI/EJB applications with VisiNotify	28
Developing an RMI typed consumer	29
Developing an RMI typed supplier	32
Developing an EJB bean as a Typed Notification consumer	33
Developing an EJB bean as a Structured Notification consumer	34
VisiBroker Event Buffering/Batch	35
Disable supplier-side event buffering	35
Disable consumer-side event buffering	35

Flush buffered events in supplier application	35
Initial Reference of VisiNotify	36

Using the Publish Subscribe Adapter (PSA) 39

Introduction	39
PSA reference and PSA interface IDL	42
User examples	45
Structured Push Consumer	45
Typed Push Consumer	47
Structured and Typed Push Supplier	50
Structured Supplier to a Channel	51
Typed Supplier to a Channel	52
Subscribe a subject using PSA	53
SubjectScheme	53
Subject Reference, Observer ID, and Properties to Subscribe()	54
Examples of Subscribe()	55
Subscribe Descriptor and the_subject_addr()	58
Unsubscribe a Subject	58
Publish a Subject	59
SubjectScheme	59
Subject Reference, Provider ID, and Properties to Publish()	60
Examples of publish()	61
Publish Descriptor and the_subject_addr()	65
Unpublish a subject	65
Support of Typed Pulling	66
Passive typed pull consumer	66
C++ passive typed pull consumer example	67
Active typed pull consumer	68
C++ active typed pull consumer example	68
Java active typed pull consumer example	68
Typed pull supplier	69
C++ typed pull supplier example	70
Java typed pull supplier example	71
Additional topics and summary	72
ChannelException	72
Setting Notification Service QoS in PSA	72
PSA Summary	72

Setting the Quality of Service and Filters 75

Properties of the Quality of Service (QoS)	75
Priority	75
EventReliability	75
VBPersistentDbType	75
VBPersistentCommitSyncPolicy	75
VBPersistentStorageOverflowBlockTimeout	76
VBPersistentOverflowDowngradePolicy	76
ConnectionReliability	76
MaxEventsPerConsumer	76
DiscardPolicy	77
OrderPolicy	77
VBQueueLowWaterMark	77
VBQueueHighWaterMark	77
VBProxyPushSupplierThreadModel	77
VBProxyPushSupplierQueuePreemptWaterMark	77
VBReceivedEventsCount	78
VBPendingEventsCount	78
VBDiscardedEventsCount	78

VBForwardedEventsCount	78
VBFilteredEventsCount	78
Administration and Validation of QoS properties	78
Interface CosNotification: : QoSAdmin	78
Validating QoS in the header of structured events	78
QoS negotiation.....	79
Channel Admin Properties	79
Interface CosNotification: : AdminPropertiesAdmin	79
VBPersistentStorageSize	79
Static Properties	79
vbroker.notify.console	79
vbroker.notify.listener.port	80
vbroker.notify.factory.name	80
vbroker.notify.channel.name	80
vbroker.notify.channel.threadMaxIdle	80
vbroker.notify.enableEventQoS	80
vbroker.notify.dir	80
vbroker.notify.ir	81
vbroker.notify.channel.persistentStorageSize	81
vbroker.notify.channel.persistentCommitPolicy	81
vbroker.notify.channel.persistentOverflowBlock Timeout	81
vbroker.notify.channel.persistentDowngradePolicy	82
vbroker.notify.channel.persistentEvent.....	82
vbroker.notify.channel.iorFile	82
vbroker.notify.channel.passiveProxyPersistenceMask.....	82
vbroker.notify.channel.maxDelay	83
vbroker.notify.threadPool.threadMax	83
vbroker.notify.threadPool.threadMin	83
vbroker.notify.threadPool.threadMaxIdle	83
vbroker.log.enable	83
Levels of Support	84
Event Filtering using Filter Objects	85
Filtering Events	85
Forwarding Filter Evaluation	86
Using Forwarding Filters	86
Forwarding Filter Limitation.....	88
Writing Filter Constraint Expressions	88
Extended Trader Constraint Language (Extended TCL)	89

Index93

Introduction to VisiBroker

VisiBroker is a set of services and tools that enables you to build, deploy, and manage distributed enterprise applications in your corporate environment. These applications provide dynamic content by using JSP, servlets, and Enterprise Java Bean (EJB) technologies.

Accessing VisiBroker online help topics in the standalone Help Viewer

To access the online help through the standalone Help Viewer on a machine where the product is installed, use one of the following methods:

Windows

- Choose Start > Programs > VisiBroker > Help Topics
- or, open the Command Prompt and go to the product installation `\bin` directory, then type the following command:

```
help
```

UNIX

Open a command shell and go to the product installation `/bin` directory, then enter the command:

```
help
```

Tip

During installation on UNIX systems, the default is to not include an entry for `bin` in your `PATH`. If you did not choose the custom install option and modify the default for `PATH` entry, and you do not have an entry for current directory in your `PATH`, use `./help` to start the help viewer.

Accessing VisiBroker online help topics from within a VisiBroker GUI tool

To access the online help from within a VisiBroker GUI tool, choose Help > Help Topics.

The Help menu also contains shortcuts to specific documents within the online help. When you select one of these shortcuts, the Help Topics viewer is launched and the item selected from the Help menu is displayed.

Documentation conventions

The documentation for VisiBroker uses the typefaces and symbols described below to indicate special text:

Convention	Used for
<i>italics</i>	Used for new terms and book titles.
<code>computer</code>	Information that the user or application provides, sample command lines and code.

Convention	Used for
bold computer	In text, bold indicates information the user types in. In code samples, bold highlights important statements.
[]	Optional items.
...	Previous argument that can be repeated.
>	Two mutually exclusive choices.

Platform conventions

The VisiBroker documentation uses the following symbols to indicate platform-specific information:

Windows: All supported Windows platforms.

Win2003: Windows 2003 only

WinXP: Windows XP only

Win2000: Windows 2000 only

UNIX: UNIX platforms

Solaris: Solaris only

Linux: Linux only

Contacting Micro Focus

Our Web site gives up-to-date details of contact numbers and addresses.

Further Information and Product Support

Additional technical information or advice is available from several sources.

The product support pages contain a considerable amount of additional information, such as:

- The WebSync service, where you can download fixes and documentation updates.
- The Knowledge Base, a large collection of product tips and workarounds.
- Examples and Utilities, including demos and additional product documentation.

To connect, enter <http://www.microfocus.com> in your browser to go to the Micro Focus home page.

Note:

Some information may be available only to customers who have maintenance agreements.

If you obtained this product directly from Micro Focus, contact us as described on the Micro Focus Web site, <http://www.microfocus.com>. If you obtained the product from another source, such as an authorized distributor, contact them for help first. If they are unable to help, contact us.

Information We Need

However you contact us, please try to include the information below, if you have it. The more information you can give, the better Micro Focus SupportLine can help you. But if you don't know all the answers, or you think some are irrelevant to your problem, please give whatever information you have.

- The name and version number of all products that you think might be causing a problem.
- Your computer make and model.
- Your operating system version number and details of any networking software you are using.
- The amount of memory in your computer.
- The relevant page reference or section in the documentation.
- Your serial number. To find out these numbers, look in the subject line and body of your Electronic Product Delivery Notice email that you received from Micro Focus.

Contact information

Our Web site gives up-to-date details of contact numbers and addresses. Additional technical information or advice is available from several sources.

The product support pages contain considerable additional information, including the WebSync service, where you can download fixes and documentation updates. To connect, enter <http://www.microfocus.com> in your browser to go to the Micro Focus home page.

If you are a Micro Focus SupportLine customer, please see your SupportLine Handbook for contact information. You can download it from our Web site or order it in printed form from your sales representative. Support from Micro Focus may be available only to customers who have maintenance agreements.

You may want to check these URLs in particular:

- <http://www.microfocus.com/products/visibroker/visibroker-product-trial.aspx> (updated VisiBroker software and other files)
- <https://supportline.microfocus.com/productdoc.aspx>. (documentation updates and PDFs)

To subscribe to Micro Focus electronic newsletters, use the online form at:

<http://www.microfocus.com/Resources/Newsletters/infocus/newsletter-subscription.asp>

Introduction to VisiNotify

This chapter provides a general discussion on the architecture of the Object Management Group (OMG) Event/Notification Service and introduces Micro Focus's implementation, VisiNotify.

Note

It is recommended that you use this document in conjunction with the application examples shipped with VisiNotify and the OMG Event/Notification Specification that is available on the OMG web site <http://www.omg.org/>.

OMG Event/Notification Service Communication Model

In the CORBA environment, the core ORB is a distributed framework for creating object-oriented client/server applications. The communication model(s) supported by the core ORB is intended for the client/server applications with direct (at least conceptually), one-to-one, synchronous communication. Some of the application requirements go beyond the core ORB facility, such as:

- Support for distributed publish/subscribe application design, such as, many-to-many and de-coupled.
- Support for single directional, asynchronous and buffered event distribution with a throughput substantially higher than synchronous communication.
- Support for quality of services (QoS), such as event/connection reliability.
- Support for event filtering.

The requirements mentioned above have been supported by traditional message oriented middleware (MOM) for non-CORBA applications. OMG Event/Notification Service addresses the same set of requirements for CORBA applications.

In *publish/subscribe* applications, objects involved in the communication could be arbitrary. There are two types of objects in publish/subscribe communication; the event suppliers (providers and publishers) and event consumers (observers and subscribers). Also, there are two event transfer models; the event pushing and event pulling. Objects involved in the publish/subscribe communication are de-coupled from each other by the message middleware. These objects are not dependent on the existence and status of other objects in order to work properly. Event suppliers transfer events to the channel regardless the existence of consumers.

Note

De-coupling in this instance means independence rather than security. If a supplier can tell, implicitly, the existence of a consumer, it does not mean de-coupling is broken.

In *single directional* event distribution, events flow from upstream into downstream. Specifically, events flow from suppliers to channels and subsequently flow from channel into subscribed consumers. Event transfer is *asynchronous* and buffered. Suppliers can get acknowledgment from the message middleware, not from the consumers. This means event transfer

routing through a message middleware could have much higher throughput than synchronous method invocation without routing.

OMG Event/Notification Service Object Model

The main concept in OMG Event/Notification is the *channel*. Events are sent into an event channel and replicated to their recipients. Multiple independent channels can be created and used by a given application. Events are either pushed or pulled into an event channel from the supplier. The events flow inside the channel in a downstream direction. Events in the downstream end are buffered in proxy suppliers and are pushed to or pulled by consumers. Application level event suppliers or consumers are connected with proxy objects to transfer events into/from the channel.

In the *downstream* end of a channel (consumer end):

- Each push consumer needs to create and connect to a dedicated proxy push supplier. It then passively waits for the channel callback to send events.
- Pull consumers actively invoke requests on proxy pull suppliers to retrieve events from the channel.


Proxy suppliers are usually located in the channel server and are created by applications from consumer admins. Consumer admins are created either as a default or by applications from channels. Each channel has a default consumer admin. This creation process forms a [channel]-[consumer(s) admin(s)]-[supplier proxy(s)] hierarchy.

In the *upstream* end of a channel (supplier end):

- Push suppliers actively invoke requests on proxy push consumer to push events into the channel.
- Each pull supplier needs to create and connect to a dedicated proxy pull consumer. It then passively waits for channel callback to retrieve events.

Proxy consumers are usually located in the channel server and are created by applications from supplier admins. Supplier admins are created either as a default or by applications from channels. Each channel has a default supplier admin. This creation process forms a [channel]-[supplier(s) admin(s)]-[consumer proxy(s)] hierarchy.

This diagram illustrates the event flow (upstream and downstream) within the notification communication model:



Like most traditional message oriented middleware, the OMG Notification Service also defines and supports Quality of Services (QoS). VisiNotify supports most OMG defined QoS policies along with additional VisiNotify extensions. Among those QoS policies, two most important QoSs are event persistence and connection persistence. With event persistence (or reliability), buffered events in the channel are temporarily stored in a persistent repository to prevent event loss due to maintenance shutdown or accidental system crash. With connection persistence (or reliability), OMG defines two QoS functions. The first function is that images of channels, admins, proxies and their current settings are stored in a persistent repository that allows the channel server to restore these objects upon channel restart. The second function is that the channel can reestablish transport connections to pull suppliers and push consumers.

Another important service defined by the OMG Event/Notification Service is event filtering. Applications can add filter objects at admin or proxy level to selectively filter out unwanted events.

The OMG Event/Notification Service defines four types of notification channels; the *untyped*, *structured*, *sequence*, and *typed*. The event interfaces of the first three channels are pre-defined by OMG Event/Notification specification and are referred to as “pre-defined” channels. The event interfaces for typed channels are not pre-defined by OMG but by user applications and are referred to as “user-defined” typed channels. VisiNotify supports all four types of channels with the exception of the sequence pulling.

With the untyped channel, events are represented as CORBA *Anys*. Events are sent by invoking `push()` operation with `CORBA::Any` as an input parameter using untyped consumer or proxy untyped consumer objects. With structured and sequence channels, events are represented as `StructuredEvent` IDL structures or sequence. Events are sent by invoking `push_structured_event()` or `push_structured_events()` on the respective consumer or proxy consumer. With a typed channel, there is no predefined event interface. Event interfaces are defined by user applications as OMG IDL interfaces. Events are sent by invoking non-pseudo operations on consumers' or proxy consumers' typed interfaces.

Note

Examples of supplier and consumer applications with the above event types are discussed in [“Developing supplier and consumer applications”](#).

VisiNotify features

Micro Focus VisiNotify is an industrial-strength implementation of OMG Event/Notification Service. Instead of implementing on the user level, VisiNotify is implemented on ORB level and registered with the Naming Service using the generic Naming Service mechanism. See the “Using the VisiNaming Service” chapters in the VisiBroker for Java and VisiBroker for C++ *Developer's Guides* for more information. With this unique design, VisiNotify is able to work more efficiently and to provide features that are difficult or impossible to support on the user level. Here are the main features of VisiNotify.

Superior throughput and scalability

VisiNotify is designed to work at the GIOP message level. It directly hands over received event payloads to the downstream consumers. When replicating any received events, VisiNotify does not de-marshal events unless there are filters or event level QoS in the stream. And VisiNotify does not re-marshal events even if there are filters or event level QoS. This unique design allows VisiNotify to reach a very high event throughput with a very low CPU usage. On handling client connect through GIOP 1.0 and 1.1, advanced techniques are used to adjust payload alignment without de-marshaling and re-marshaling the events.

By leveraging Micro Focus's event buffering/batch technology in VisiBroker 5.1, the throughput displayed by VisiNotify is substantially higher in magnitude than any user level notification service product on the market. The use of event buffering and batch processing optimizes VisiNotify throughput. Different from user level batch technology, (such as sequence event) the event buffering/batch technology is fully transparent to user applications and has no restrictions on event type. All event types (untyped,

structured, sequence or typed) can be buffered/batched. Therefore, VisiNotify is able to reach the best end-to-end event throughput by combining event batch with the smallest event sizes and lowest event marshaling/de-marshaling cost of typed events.

With user level implementation, event buffering/batch is not transparent to the application. Also, only restricted event types, namely structured events, can be sent in batches. Compared to Micro Focus's event buffering/batch technology, event batch using sequence channel has no advantages. Therefore, VisiNotify only provides limited support for sequence channel with the following restrictions:

- Support for only end-to-end push model sequence channel. Filter constraints and event level QoS policies are only evaluated for the first event in a sequence and the result is applied to the entire event.
- Maximum batch size setting is ignored.
- Sequence pulling is not supported.

Note: a real industry usage case (ITU-T CORBA/TMN notification) based throughput benchmark test suite is shipped with this VisiNotify release. See `<install_dir>/examples/vbroker/notify/bench_[itut|tmf]_cpp` and `bench_[itut|tmf]_java`.

Superior performance with event persistence

Many user level channel products use DynAny to unpack event from events for persistence support. VisiNotify directly dumps event message payloads into persistent storage without de-marshaling and unpacking them. This unique design minimizes the overhead from event persistence. Under the default setting, VisiNotify event persistence overhead is 5% to 15%.

Valuetype support

VisiNotify is the first and only notification channel that supports valuetypes in events. Even with the presence of a filter in the event stream, VisiNotify can still evaluate filter conditions using the attributes before the first valuetype in a given event.

Typed channel support

The typed channel support is documented in [“Developing supplier and consumer applications”](#).

VisiNotify is the first OMG Typed Event/Notification implementation that does not use Dynamic Invocation Interface (DII) and Dynamic Skeleton Interface (DSI). VisiNotify does not rely on Interface Repository to work unless there is a filter constraint in the typed event stream. This means that VisiNotify's typed channel is significantly faster than any typed or untyped channel implementations.

Since VisiNotify does not rely on the IR when filter is not used, the key parameters used in calling `obtain_typed_..._consumer/supplier()` are not necessarily to be the event interface repository id. Therefore, applications can choose the proxy keys as an alternative filtering strategy. Applications can use proxy keys to divide a given typed channel into multiple logical channels. This approach is more efficient and flexible than the constraint language parsing based filtering.

Publish/Subscribe Adapter (PSA)

The Publish/Subscribe Adapter feature is documented in [“Using the Publish Subscribe Adapter \(PSA\)”](#).

The PSA is a programming model and software component supported by VisiBroker (from version 5.1 onwards). It works on top of any OMG Event/Notification Service. The basic concept of the PSA is to provide a high level object-oriented abstraction for publish/subscribe communication. The PSA not only simplifies the code of typed event/notification applications and provides an elegant solution for typed pulling, it shields the application from directly dealing with the connection interface difference. Without PSA, using different event types (untyped, structured, sequence and typed) or transfer models means different connection interfaces.

Typed pulling without using Pull<I> interface

One elegant feature of the PSA is that it supports typed pulling using the original user-defined <I> interface instead of the mangled Pull<I> interface.

Explicit RMI and EJB support

The explicit RMI and EJB support is documented in [“Developing supplier and consumer applications”](#).

VisiNotify supports two types of RMI/EJB connection scenarios. The first scenario is the typed event RMI/EJB applications using VisiNotify's typed channel as a message middleware. In this case, user defined RMI interface or EJB remote interface is the definition for the typed event interface. All suppliers are RMI applications making RMI call to push events into VisiNotify typed channel. All connected consumers are also RMI applications with their RMI reference connected to the typed event channel.

The second scenario involves using the structured event channel. In this scenario, all suppliers are CORBA applications sending `CosNotification::StructuredEvent` to the structured event channel. In the downstream end, some consumer applications can be a CORBA application connected as structured consumers while others are consumers that can be structured event EJB beans. A structured event EJB bean is no different from a normal session or entity bean. A structured event bean and its remote interface implements and declares a `push_structured_event()` operation with `org.omg.CosNotification.StructuredEvent` as input parameter. VisiNotify provides a utility, *subtool*, to connect a structured event bean's remote interface to a given VisiNotify structure event channel.

These two scenarios provide alternative and pure object-oriented solutions for event driven J2EE applications. Comparing to Java Message Service (JMS) and Message Driven Bean (MDB), the advantages are:

- Static type safe RMI stubs and skeleton perform message pack/unpack
- Event are described by user defined Java RMI interface.

Connection persistence

VisiNotify supports the connection persistence as defined by the OMG specification:

- Restore persistent channels, admins and proxies after channel restart.

- Reestablish broken/lost transport connections to push consumers or pull suppliers.

VisiNotify restores persistent channel, admin and proxy as well as their current settings and IDs (ChannelID, AdminID and ProxyID). VisiNotify also reestablish transport connections. VisiNotify also supports an extended feature that automatically put a proxy on suspended state if the connection to the connected push consumer or pull supplier is broken. This is a better scenario than trying to reestablish the transport connection in a loop.

Self-adaptive asynchronous flow control

In OMG Notification Service 1.0, the channel should pull for event messages from a pull supplier when there is at least one consumer in the event stream. In OMG Notification Service 1.3, OMG requires the proxy to pull regardless whether any consumers are connected to the channel. The argument made from OMG is, that this pulling of events will shield the supplier from its consumers by preventing the supplier from knowing whether any consumers are present.

These two scenarios could lead to system and network resource waste on the unnecessary and tight pulling. However, with self-adaptive asynchronous flow control, the proxy pull consumer will only pull when returned events can be handed over to at least one consumer in the downstream. This implementation requires that each logic channel is assigned a voting slot. An upstream proxy pull consumer only pulls when the count in its voting slot is non zero. Each downstream proxy supplier, either push or pull, has one vote to its logic channel's voting slot. It votes to pull when the number of events in its queue is lower than the low watermark. And it withdraws its vote when pending events in its queue are more than the high watermark. This avoids the upstream proxy pull consumer pulling events back only to be discarded or rejected by downstream proxy consumers immediately. By setting the high and lower watermark, applications can also get OMG Notification Service 1.0 or 1.3 behaviors.

QoS and filter support

VisiNotify supports OMG QoS and VisiNotify extensions. Also, VisiNotify provides a highly optimized and OMG compliant filter support for structured, sequence, and typed channels. See [“Setting the Quality of Service and Filters”](#).

Thread on demand

Internally, channels and active proxies (proxy pull consumer and proxy push supplier) all require threads. However, threads are not assigned to them as a dedicated servant. They are recycled when other objects above them (hierarchically) are in an idle state. VisiNotify provides threads dynamically.

Developing supplier and consumer applications

This chapter discusses how you can develop supplier and consumer applications using OMG Notification Service. The following topics are covered:

- [Using pre-defined Event/Notification Services](#)
- [Using Typed Event/Notification Service](#)
- [Developing RMI/EJB applications with VisiNotify](#)
- [VisiBroker Event Buffering/Batch](#)

Using pre-defined Event/Notification Services

The OMG Notification Service specifies three kinds of pre-defined event channels: **Untyped**, **Structured**, and **Sequence**. The advantage of pre-defined channels is that they are easy for user level implementations. Therefore, almost all notification service products on the market support pre-defined channels. The disadvantage of pre-defined channels are:

- They are slower than user defined typed channels.
- They usually have larger event size.
- They require more type unsafe dynamic manual code to pack and unpack user data into and from events.
- They do not have a formal, unified, widely adopted event description language.

For these reasons, the pre-defined untyped, structured and sequence channels are not a good choice for new CORBA applications. However, they are supported by VisiNotify for OMG compliance as well as for legacy applications. New applications should consider using the OMG Typed Notification Service. See "[Using Typed Event/Notification Service](#)" for detailed information.

Developing push consumer applications

A push consumer is essentially a CORBA callback server application. It provides an push consumer object implementation. The push consumer object implementation supports a pre-defined (untyped, structured or sequence) push consumer interface. The consumer application connects this consumer object to a channel to receive events.

Developing a push consumer application involves two tasks:

- Implement a normal push consumer server object which support a pre-defined (untyped, structured or sequence) push consumer interface. This involves:
 - Implementing the push consumer servant.
 - Activating the servant on POA.
 - Activating the POA manager.

- Connect the consumer object to a channel. This involves:
 - Getting the channel reference.
 - Getting consumer admin from channel.
 - Obtaining proxy push supplier.
 - Connecting the consumer object to the proxy push supplier.

To illustrate the development of the push consumer application, the structured push consumer is used.

C++ push consumer example

The following push consumer example is located in
 <install_dir>/examples/vbroker/notify/basic_cpp/
 structPushConsumer.C.

```
// 1. Implementing the push consumer servant
class StructuredPushConsumerImpl : public
POA_CosNotifyComm::StructuredPushConsumer, public virtual
PortableServer::RefCountServantBase
{
    ...
public:
    ...
    void push_structured_event(const CosNotification::StructuredEvent&
        event) { ... }
    ...
};

// The consumer server
int main(int argc, char** argv)
{
    // get orb and POA ...
    ...

    // construct a push consumer servant
    StructuredPushConsumerImpl* servant = new StructuredPushConsumerImpl;

// 2. Activate the consumer servant on a POA
poa->activate_object(servant);

// 3. Activate the POA
poa->the_POAManager()->activate();

    ...

// 4. Somehow, we get the channel from somewhere
CosNotifyChannelAdmin::EventChannel_var channel = ...;

// 5. Somehow, we decide to use the default admin
CosNotifyChannelAdmin::ConsumerAdmin_var admin =
    channel->default_consumer_admin();

// 6. Obtain a proxy push supplier from the admin
CosNotifyChannelAdmin::ProxyID pxy_id;
CosNotifyChannelAdmin::ProxySupplier_var proxy =
    admin->obtain_notification_push_supplier(
        CosNotifyChannelAdmin::STRUCTURED_EVENT, pxy_id);

CosNotifyChannelAdmin::StructuredProxyPushSupplier_var supplier =
    CosNotifyChannelAdmin::StructuredProxyPushSupplier::_narrow(proxy);
```

```

// 7. Get consumer object reference and connect it to the proxy
CORBA::Object_var obj = poa->servant_to_reference(servant);
CosNotifyComm::StructuredPushConsumer_var consumer
    = CosNotifyComm::StructuredPushConsumer::_narrow(obj);
supplier->connect_structured_push_consumer(consumer);

// working loop
orb->run();
}

```

Java push consumer example

The following push consumer example is located in
 <install_dir>/examples/vbroker/notify/basic_java/
 structPushConsumer.java.

```

import org.omg.CosNotifyComm.*;
import org.omg.CosNotifyChannelAdmin.*;
import org.omg.CosNotification.*;

class StructPushConsumerImpl extends StructuredPushConsumerPOA
{
    ...

// 1. Implement the push consumer servant
    public void push_structured_event(StructuredEvent event) { ... }
    ...

    public static int main(String[] args) {
// get orb and POA ...
        ...

// construct a push consumer servant
        StructPushConsumerImpl servant = new StructPushConsumerImpl();

// 2. Activate the consumer servant on a POA
        poa.activate_object(servant);

// 3. Activate the POA
        poa.the_POAManager().activate();

        ...

// 4. Somehow, we get the channel from somewhere
        EventChannel channel = ...;

// 5. Somehow, we decide to use the default admin
        ConsumerAdmin admin = channel.default_consumer_admin();

// 6. Obtain a proxy push supplier from the admin
        ProxyIDHolder pxy_id = new ProxyIDHolder();
        ProxySupplier proxy = admin.obtain_notification_push_supplier(
            ClientType.STRUCTURED_EVENT, pxy_id);

        StructuredProxyPushSupplier supplier
            = StructuredProxyPushSupplierHelper.narrow(proxy);

// 7. Get consumer object reference and connect it to the proxy
        org.omg.CORBA::Object obj = poa.servant_to_reference(servant);
        StructuredPushConsumer consumer = StructuredPushConsumerHelper.narrow(obj);

```

```

    supplier.connect_structured_push_consumer(consumer);

// working loop
orb.run();
}
}

```

Develop pull consumer applications

A pull consumer is essentially a CORBA client. It obtains a proxy pull supplier object in the channel and actively sends request to the proxy to retrieve buffered events.

Developing a pull consumer application involves two tasks:

- (Optional) Implement a pull consumer server object which supports a pre-defined (untyped, structured or sequence) pull consumer interface. This involves:
 - Implementing the pull consumer servant.
 - Activating the servant on POA.
 - Activating the POA manager.
- Get a proxy pull supplier reference and retrieve events from it. This involves:
 - Getting the channel reference.
 - Getting consumer admin from channel.
 - Obtaining proxy pull supplier.
 - Connecting the consumer object (or null) to the proxy pull supplier.
 - Actively pulling the event from the proxy pull supplier.

To illustrate the development of the pull consumer application, the structured pull consumer is used.

C++ pull consumer example

The following pull consumer example is located in
 <install_dir>/examples/vbroker/notify/basic_cpp/
 structPullConsumer.C.

```

// The consumer client
int main(int argc, char** argv)
{
    // get orb ...
    ...

// 1. Somehow, we get the channel from somewhere
    CosNotifyChannelAdmin::EventChannel_var channel = ...;

// 2. Somehow, we decide to use the default admin
    CosNotifyChannelAdmin::ConsumerAdmin_var admin =
        channel->default_consumer_admin();

// 3. Obtain a proxy pull supplier from the admin
    CosNotifyChannelAdmin::ProxyID pxy_id;
    CosNotifyChannelAdmin::ProxySupplier_var proxy =
        admin->obtain_notification_pull_supplier(
            CosNotifyChannelAdmin::STRUCTURED_EVENT, pxy_id);

```

```

CosNotifyChannelAdmin::StructuredProxyPullSupplier_var supplier =
  CosNotifyChannelAdmin::StructuredProxyPullSupplier::_narrow(proxy);

// 4. Connect to the proxy
supplier->connect_structured_pull_consumer(NULL);

// 5. Pull events from the proxy pull supplier
for(int i=0;i<100;i++) {
  CosNotification::StructuredEvent_var event;
  event = supplier->pull_structured_event();
  ...
}

// 6. Gracefully cleanup
supplier->disconnect_structured_pull_supplier();
}

```

Java pull consumer example

The following pull consumer example is located in
 <install_dir>/examples/vbroker/notify/basic_java/
 structPullConsumer.java.

```

import org.omg.CosNotifyComm.*;
import org.omg.CosNotifyChannelAdmin,*;
import org.omg.CosNotification.*;

public class structPullConsumer
{
  ...
  public static int main(String[] args) {
    // get orb ...
    ...
    // 1. Somehow, we get the channel from somewhere
    EventChannel channel = ...;

    // 2. Somehow, we decide to use the default admin
    ConsumerAdmin admin = channel.default_consumer_admin();

    // 3. Obtain a proxy pull supplier from the admin
    ProxyIDHolder pxy_id = new ProxyIDHolder();
    ProxySupplier proxy = admin.obtain_notification_pull_supplier(
      ClientType.STRUCTURED_EVENT, pxy_id);

    StructuredProxyPullSupplier supplier =
      StructuredProxyPullSupplierHelper.narrow(proxy);

    // 4. Connect to the proxy
    supplier.connect_structured_pull_consumer(null);

    // 5. Pull events from the proxy pull supplier
    for(int i=0;i<100;i++) {
      StructuredEvent event = supplier.pull_structured_event();
      ...
    }

    // 6. Gracefully cleanup
    supplier.disconnect_structured_pull_supplier();
  }
}

```

Developing push supplier applications

A push supplier application is a CORBA client. It actively invokes requests on a proxy consumer object to send events to the channel.

Developing a push supplier application involve two tasks:

- (Optional) Implement a push supplier server object which supports a pre-defined (untyped, structured or sequence) push supplier interface. This involves:
 - Implementing the supplier servant.
 - Activating the servant on POA.
 - Activating the POA manager.
- Get a proxy push consumer reference and send events to it. This involves:
 - Getting the channel reference.
 - Getting supplier admin from channel.
 - Obtaining proxy push consumer.
 - Connecting the supplier object (or null) to the proxy push consumer.
 - Actively pushing events to the proxy push consumer.

To illustrate the development of the push supplier application, the structured push supplier is used.

C++ push supplier example

The push supplier example is located in `examples/vbroker/notify/basic_cpp/structPushSupplier.C`.

```
// The push supplier client
int main(int argc, char** argv)
{
    // get orb ...
    ...

    // 1. Somehow, we get the channel from somewhere
    CosNotifyChannelAdmin::EventChannel_var channel = ...;

    // 2. Somehow, we decide to use the default admin
    CosNotifyChannelAdmin::SupplierAdmin_var admin =
    channel->default_supplier_admin();

    // 3. Obtain a proxy push consumer from the admin
    CosNotifyChannelAdmin::ProxyID pxy_id;
    CosNotifyChannelAdmin::ProxyConsumer_var proxy =
    admin->obtain_notification_push_consumer(
        CosNotifyChannelAdmin::STRUCTURED_EVENT, pxy_id);

    CosNotifyChannelAdmin::StructuredProxyPushConsumer_var consumer
        = CosNotifyChannelAdmin::StructuredProxyPushConsumer::_narrow(proxy);

    // 4. Connect to the proxy
    consumer->connect_structured_push_supplier(NULL);

    // 5. Push events to the proxy push consumer
    for(int i=0;i<100;i++) {
        CosNotification::StructuredEvent_var event = ...;
    }
}
```



```

    consumer->push_structured_event(event);
}

// 6. Gracefully cleanup
consumer->disconnect_structured_push_consumer();
}

```

Java push supplier example

The push supplier example is located in `examples/vbroker/notify/basic_java/structPushSupplier.java`.

```

import org.omg.CosNotifyComm.*;
import org.omg.CosNotifyChannelAdmin,*;
import org.omg.CosNotification.*;

public class structPushSupplier
{
    ...
    public static int main(String[] args) {
        // get orb ...
        ...

        // 1. Somehow, we get the channel from somewhere
        EventChannel channel = ...;

        // 2. Somehow, we decide to use the default admin
        ConsumerAdmin admin = channel.default_supplier_admin();

        // 3. Obtain a proxy consumer from the admin
        ProxyIDHolder pxy_id = new ProxyIDHolder();
        ProxyConsumer proxy = admin.obtain_notification_push_consumer (
            ClientType.STRUCTURED_EVENT, pxy_id);

        StructuredProxyPushConsumer consumer =
            StructuredProxyPushConsumerHelper.narrow(proxy);

        // 4. Connect to the proxy
        consumer.connect_structured_push_supplier(null);

        // 5. Push events to the proxy push consumer
        for(int i=0;i<100;i++) {
            StructuredEvent event = ...;
            consumer.push_structured_event(event);
        }

        // 6. Gracefully cleanup
        consumer.disconnect_structured_push_consumer();
    }
}

```

Developing pull supplier applications

A pull supplier application is a CORBA callback server. It provides an pull supplier object implementation. The pull supplier object implementation supports a pre-defined (untyped, structured or sequence) pull supplier interface. The supplier application needs to connect this supplier object to a channel to supply events.

Developing a pull supplier application involves two tasks:

- Implement a normal pull supplier server object which supports a pre-defined (untyped, structured, or sequence) pull supplier interface. This involves:
 - Implementing the pull supplier servant.
 - Activating the servant on POA.
 - Activating the POA manager.
- Connect the supplier object to a channel. This involves:
 - Getting the channel reference.
 - Getting supplier admin from channel.
 - Obtaining proxy pull consumer.
 - Connecting the pull supplier object to the proxy pull consumer.

To illustrate the development of the pull supplier application, the structured pull supplier is used.

C++ pull supplier example

The pull supplier example is located in `examples/vbroker/notify/basic_cpp/structPullSupplier.C`.

```
// 1. Implement the pull supplier servant
class StructuredPullSupplierImpl : public
    POA_CosNotifyComm::StructuredPullSupplier, public virtual
    PortableServer::RefCountServantBase
{
    ...
public:
    ...
    CosNotification::StructuredEvent* pull_structured_event() { ... }
    CosNotification::StructuredEvent* try_pull_structured_event(
        CORBA::Boolean& has_event) { ... }
    ...
};

// The supplier server
int main(int argc, char** argv)
{
    // get orb and POA ...
    ...

    // Construct a pull supplier servant
    StructuredPullSupplierImpl* servant = new StructuredPullSupplierImpl;

    // 2. Activate the consumer servant on a POA
    poa->activate_object(servant);

    // 3. Activate the POA
    poa->the_POAManager()->activate();

    ...

    // 4. Somehow, we get the channel from somewhere
    CosNotifyChannelAdmin::EventChannel_var channel = ...;

    // 5. Somehow, we decide to use the default admin
    CosNotifyChannelAdmin::SupplierAdmin_var admin = channel
        ->default_supplier_admin();
}
```

```

// 6. Obtain a proxy pull consumer from the admin
CosNotifyChannelAdmin::ProxyID pxy_id;
CosNotifyChannelAdmin::ProxyConsumer_var proxy = admin
    ->obtain_notification_pull_consumer(
        CosNotifyChannelAdmin::STRUCTURED_EVENT, pxy_id);

CosNotifyChannelAdmin::StructuredProxyPullConsumer_var consumer =
    CosNotifyChannelAdmin::StructuredProxyPullConsumer::_narrow(proxy);

// 7. Get supplier object reference and connect it to the proxy
CORBA::Object_var obj = poa->servant_to_reference(servant);
CosNotifyComm::StructuredPullSupplier_var supplier
    = CosNotifyComm::StructuredPullSupplier::_narrow(obj);
consumer->connect_structured_pull_supplier(supplier);

// working loop
orb->run();
}

```

Java pull supplier example

The pull supplier example is located in `examples/vbroker/notify/basic_java/structPullSupplier.java`.

```

import org.omg.CosNotifyComm.*;
import org.omg.CosNotifyChannelAdmin,*;
import org.omg.CosNotification.*;

class structPullSupplierImpl extends StructuredPullSupplierPOA
{
    ...
    // 1. Implement the push consumer servant
    public StructuredEvent pull_structured_event() { ... }
    public StructuredEvent try_pull_structured_event(
        org.omg.CORBA.BooleanHolder has_event) {...}
    ...

    public static int main(String[] args) {
        // Get orb and POA ...
        ...

        // A pull supplier servant
        structPullSupplierImpl servant = new structPullSupplierImpl();

        // 2. Activate the supplier servant on a POA
        poa.activate_object(servant);

        // 3. Activate the POA
        poa.the_POAManager().Activate();

        ...
        // 4. Somehow, we get the channel from somewhere
        EventChannel channel = ...;

        // 5. Somehow, we decide to use the default admin
        ConsumerAdmin admin = channel.default_supplier_admin();

        // 6. Obtain a proxy pull consumer from the admin
        ProxyIDHolder pxy_id = new ProxyIDHolder();
        ProxyConsumer proxy = admin.obtain_notification_pull_consumer(

```

```

        ClientType.STRUCTURED_EVENT, pxy_id);

StructuredProxyPullConsumer consumer =
    StructuredProxyPullConsumerHelper.narrow(proxy);

// 7. Get supplier object reference and connect it to the proxy
org.omg.CORBA::Object obj = poa.servant_to_reference(servant);
StructuredPullSupplier supplier =
    StructuredPullSupplierHelper.narrow(obj);
consumer.connect_structured_pull_supplier(supplier);

// working loop
orb.run();
}
}

```

Using Typed Event/Notification Service

The pre-defined events (untyped, structured, sequence) in OMG Event/Notification Service present a message-oriented approach. The disadvantages of this approach are:

- They are slower than user-defined typed channels.
- They usually have larger event size.
- They require more type unsafe dynamic manual code to pack and unpack user data into/from events.
- They do not have a formal, unified, widely adopted event description language.

Therefore, in developing new applications, it is recommended to use a user defined typed event and the OMG Typed Event/Notification Service. By using the OMG Typed Event/Notification Service, event interfaces are not pre-defined by OMG but rather by user applications using OMG IDL language. Using this approach results in the following:

- Application event throughput can be significantly higher.
- Event size can be substantially smaller.
- Event pack and unpack operations utilize type safe IDL generated static stub/skeleton code.
- Events are formally defined by IDL.

There are minor issues with using the OMG Typed Event/Notification service. They include:

- Connecting to Typed Event/Notification Service is slightly more complicated than connecting to (pre-defined) Event/Notification Service. Applications need to provide an additional handler implementation or/and perform additional connection operations (for example, `get_typed_consumer()`). However, the tradeoff to get the advantages mentioned is worthwhile.
- Directly using the Event/Notification service to do typed pulling is not adequately defined by OMG. The OMG solution requires substantial work.

VisiBroker Publish/Subscribe Adapter (PSA) architecture resolves these two issues. See [“Using the Publish Subscribe Adapter \(PSA\)”](#) for additional information. The PSA simplifies and unifies the connection procedure to notification and typed notification services. It also presents an elegant solution for typed pulling.

Note

This chapter only discusses how to develop typed push applications directly using OMG Typed Notification Service. Typed pulling and PSA is discussed in [“Using the Publish Subscribe Adapter \(PSA\)”](#).

As the user-defined event type, the following IDL interface definition is used throughout these examples:

```
// TMN.idl: typed event definition

// user defined pragma
# pragma prefix "example.borland.com"

// user defined module
module TMN {

    // user defined event interface
    interface TypedEvent {
        void attributeValueChange(...);
        void qosAlarm(...);
        ...
    };
};
```

Developing typed push consumer applications

A typed push consumer is essentially a CORBA callback server application. It provides an user defined typed consumer object implementation. The typed push consumer object implementation supports the user defined IDL interface. The consumer application connects this consumer object to a typed channel to receive typed events.

Developing a typed push consumer application involves two tasks:

- Implement a normal consumer server object which supports a user defined IDL interface. This involves:
 - Implementing the user defined typed consumer servant, such as the <I> interface servant.
 - Implementing a handler servant. This handler servant supports the `CosTypedNotifyComm::TypedPushConsumer` interface and its `get_typed_consumer()` operation, which returns a reference of the user defined typed consumer object (for example, returns the <I> interface).
 - Activating the user defined typed servant on a POA and getting its reference.
 - Activating this handler object and passing it to the user defined typed consumer object reference (such as the <I> interface).
 - Activating the POA manager.
- Connect the consumer object to a channel. This involves:
 - Getting the typed channel reference.
 - Getting typed consumer admin from channel.
 - Obtaining typed proxy push supplier.
 - Connecting the handler object to the typed proxy push supplier.

- The following example compares the procedure of using a pre-defined event interface. Notice that using typed event requires an additional implementation on a push consumer application.

C++ typed push consumer example

The typed push consumer example is located in `examples/vbroker/notify/basic_cpp/typedPushConsumer.C`.

```
// 1. Implement the user defined typed consumer servant
class TMNTypedEventImpl : public POA_TMN::TypedEvent,
    public virtual PortableServer::RefCountServantBase
{
    ...
public:
    ...
    void attributeValueChange (...) { ... }
    void qosAlarm(...) { ... }
    ...
};

// 2. Implement the handler servant
class HandlerImpl : public POA_CosTypedNotifyComm::TypedPushConsumer,
    public virtual PortableServer::RefCountServantBase
{
    CORBA::Object_var    _the_typed_consumer; // the <I> interface

public:
    HandlerImpl(CORBA::Object_ptr ref)
        : _the_typed_consumer(CORBA::Object::_duplicate(ref)) {}

    CORBA::Object_ptr get_typed_consumer() {
        // return the <I> interface
        return CORBA::Object::_duplicate(_the_typed_consumer); }
    ...
};

// The typed consumer server
int main(int argc, char** argv)
{
    // Get orb and POA ...
    ...

    // Construct a push consumer servant
    TMNTypedEventImpl* servant = new TMNTypedEventImpl;

    // 3. Activate the typed consumer on a POA
    poa->activate_object(servant);

    // 4. Get typed consumer reference
    CORBA::Object_var obj = poa->servant_to_reference(servant);

    // 5. Construct a handler servant and pass it the typed consumer reference
    HandlerImpl* handler = new HandlerImpl(obj);

    // 6. Activate the handler object on a POA
    poa->activate_object(handler);

    // 7. Activate the POA(s)
    poa->the_POAManager()->activate();
}
```

```

...
// 8. Somehow, we get a typed channel
CosTypedNotifyChannelAdmin::TypedEventChannel_var channel = ...;

// 9. Somehow, we decide to use the default admin
CosTypedNotifyChannelAdmin::TypedConsumerAdmin_var admin =
    channel->default_consumer_admin();

// 10. Obtain a proxy push supplier from the admin using the event
// repository id "IDL:example.borland.com/TMN/TypedEvent:1.0" as the key.
CosNotifyChannelAdmin::ProxyID pxy_id;
CosTypedNotifyChannelAdmin::ProxySupplier_var proxy
    = admin->obtain_typed_notification_push_supplier(
        "IDL:example.borland.com/TMN/TypedEvent:1.0", pxy_id);

// 11. Get handler object reference and connect it to the proxy
CORBA::Object_var ref = poa->servant_to_reference(handler);
CosTypedNotifyComm::TypedPushConsumer_var consumer
    = CosTypedNotifyComm::TypedPushConsumer::_narrow(ref);
proxy->connect_typed_push_consumer(consumer);

// working loop
orb->run();
}

```

Java typed push consumer example

The typed push consumer example is located in `examples/vbroker/notify/basic_java/typedPushConsumer.java`.

```

// 1. Implement the user defined typed consumer servant
class TMNTypedEventImpl extends TMN.TypedEventPOA {
    ...
    public void attributeValueChange (...) { ... }
    public void qosAlarm(...) { ... }
    ...
}

// 2. Implement the handler servant
class TypedPushConsumerImpl
    extends org.omg.CosTypedNotifyComm.TypedPushConsumer {
    org.omg.CORBA.Object _the_typed_consumer = null; // the <I> interface

    TypedPushConsumerImpl(org.omg.CORBA.Object ref) {
        _the_typed_consumer = ref;
    }
    org.omg.CORBA.Object get_typed_consumer() {
        // Return the <I> interface
        return _the_typed_consumer; }
    ...

    public static void main(String [] args) {
        // Get orb and POA ...
        ...
        // Construct a push consumer servant
        TMNTypedEventImpl servant = new TMNTypedEventImpl();

// 3. Activate the typed consumer on a POA
        poa.activate_object(servant);
    }
}

```

```

// 4. Get typed consumer reference
org.omg.CORBA.Object obj = poa.servant_to_reference(servant);

// 5. Construct a handler servant and pass it the typed consumer reference
TypedPushConsumerImpl handler = new TypedPushConsumerImpl(obj);

// 6. Activate the handler object on a POA
poa.activate_object(handler);

// 7. Activate the POA(s)
poa.the_POAManager().Activate();
...
// 8. Somehow, we get a typed channel from somewhere
org.omg.CosTypedNotifyChannelAdmin.TypedEventChannel channel = ...;

// 9. Somehow, we decide to use the default admin
org.omg.CosTypedNotifyChannelAdmin.TypedConsumerAdmin admin =
    channel.default_consumer_admin();

// 10. Obtain a proxy push supplier from the admin using the event
// repository id "IDL:example.borland.com/TMN/TypedEvent:1.0" as the key.
org.omg.CosNotifyChannelAdmin.ProxyIDHolder pxy_id_holder
    = new org.omg.CosNotifyChannelAdmin.ProxyIDHolder();
org.omg.CosTypedNotifyChannelAdmin.ProxySupplier proxy
    = admin.obtain_typed_notification_push_supplier(
        "IDL:example.borland.com/TMN/TypedEvent:1.0", pxy_id_holder);

// 11. Get handler object reference and connect it to the proxy
org.omg.CORBA.Object ref = poa.servant_to_reference(handler);
org.omg.CosTypedNotifyComm.TypedPushConsumer consumer =
    org.omg.CosTypedNotifyComm.TypedPushConsumerHelper.narrow(ref);
proxy.connect_typed_push_consumer(consumer);

// working loop
orb.run();
}
}

```

Developing typed push supplier applications

A typed push supplier application is a CORBA client. It actively invokes requests on a typed consumer proxy object to send typed events to the channel.

Developing a typed push supplier application involves two tasks:

- (Optional) Implement a typed push supplier server object. This involves:
 - Implementing the push supplier servant.
 - Activating the servant on POA
 - Activating the POA manager.
- Get the proxy push consumer reference and send events to it. This involves:
 - Getting the typed channel reference.
 - Getting the supplier admin from the typed channel.
 - Obtaining the typed proxy push consumer.

- Calling `get_typed_consumer()` on the typed proxy push consumer to get the `<I>` interface reference.
- Actively pushing events to the `<I>` interface reference.

The following example compares the procedure of using a pre-defined event interface. Notice that using typed events requires an additional procedure, such as `get_typed_consumer()`.

C++ typed push supplier example

The typed push supplier example is located in `examples/vbroker/notify/basic_cpp/typedPushSupplier.C`.

```
// The typed push supplier client
int main(int argc, char** argv)
{
    // Get orb ...
    ...

    // 1. Somehow, we get the typed channel from somewhere
    CosTypedNotifyChannelAdmin::TypedEventChannel_var channel = ...;

    // 2. Somehow, we decide to use the default admin
    CosTypedNotifyChannelAdmin::TypedSupplierAdmin_var admin =
        channel->default_supplier_admin();

    // 3. Obtain a typed proxy push consumer from the admin using the event
    // repository id "IDL:example.borland.com/TMN/TypedEvent:1.0"
    // as the key.
    CosTypedNotifyChannelAdmin::ProxyID pxy_id;
    CosTypedNotifyChannelAdmin::TypedProxyPushConsumer_var proxy
    = admin->obtain_typed_notification_push_consumer(
        "IDL:example.borland.com/TMN/TypedEvent:1.0", pxy_id);

    // 4. Connect to the proxy
    proxy->connect_typed_push_supplier(NULL);

    // 5. Get the <I> interface
    CORBA::Object_var obj = proxy->get_typed_consumer();
    TMN::TypedEvent_var consumer = TMN::TypedEvent::_narrow(obj);

    // 6. Push events to the <I> interface
    for(int i=0;i<100;i++) {
        consumer->attributeValueChange(...);
        consumer->qosAlarm(...);
    }

    // 7. Flush buffered events
    consumer->_non_existent();

    // 8. Gracefully cleanup
    proxy->disconnect_typed_push_consumer();
}
```

Java typed push supplier example

The typed push supplier example is located in `examples/vbroker/notify/basic_java/typedPushSupplier.java`.

```
import org.omg.CosTypedNotifyComm.*;
import org.omg.CosTypedNotifyChannelAdmin.*;
```

```

import org.omg.CosNotification.*;

public class typedPushSupplier
{
    ...

    // The typed push supplier client
    public static void main(String[] args) {
        // get orb ...
        ...

        // 1. Somehow, we get the typed channel from somewhere
        org.omg.CosTypedNotifyChannelAdmin.TypedEventChannel_var channel = ...;

        // 2. Somehow, we decide to use the default admin
        org.omg.CosTypedNotifyChannelAdmin.TypedSupplierAdmin admin
            = channel.default_supplier_admin();

        // 3. Obtain a typed proxy push consumer from the admin using the event
        // repository id "IDL:example.borland.com/TMN/TypedEvent:1.0"
        // as the key.
        Org.omg.CosTypedNotifyChannelAdmin.ProxyIDHolder pxy_id = new
            org.omg.CosTypedNotifyChannelAdmin.ProxyIDHolder();
        CosTypedNotifyChannelAdmin::TypedProxyPushConsumer_var proxy
            = admin.obtain_typed_notification_push_consumer(
                "IDL:example.borland.com/TMN/TypedEvent:1.0", pxy_id);

        // 4. Connect to the proxy
        proxy.connect_typed_push_supplier(null);

        // 5. Get the <I> interface
        org.omg.CORBA.Object obj = proxy.get_typed_consumer();
        TMN.TypedEvent consumer = TMN.TypedEventHelper.narrow(obj);

        // 6. Push events to the <I> interface
        for(int i=0;i<100;i++) {
            consumer.attributeValueChange(...);
            consumer.qosAlarm(...);
        }

        // 7. Flush buffered events
        consumer._non_existent();

        // 8. Gracefully cleanup
        proxy.disconnect_typed_push_consumer();
    }
}

```

Developing RMI /EJB applications with VisiNotify

With the introduction of J2EE 1.3, RMI-over-IIOP has been standardized in the J2EE implementations. Therefore, the interoperability and interconnection between CORBA and J2EE environments have become seamless. J2EE is basically a framework for client/server applications. However, J2EE technology does not provide adequate support for publish/subscribe applications. The only solutions defined in J2EE are Java Messaging Service (JMS) and Message Driver Bean (MDB). JMS is purely a message-oriented service that is mainly used for integrating or

interconnecting with legacy message middleware. MDB is simply defined following the use of JMS and allows legacy message middleware to send messages to an enterprise bean through JMS. In this regard, the JMS and MDB based solutions usually share the disadvantages of legacy message oriented middlewares. They include:

- They are slower than user defined object-oriented typed channels.
- They have relatively larger event size.
- They require more nonstandard or type unsafe dynamic manual code to pack and unpack user data into/from events.
- They do not have a formal, unified, widely adopted event description language.

The OMG Typed Event/Notification Service resolves these issues. A typed notification can be used as a publish/subscribe middleware for RMI/EJB application. In addition, VisiNotify offers support for direct connection between OMG Structured channel and RMI/EJB. VisiNotify also provides direct support of CORBA valuetypes (either in standard marshaling or in customer marshaling) as well as Java serializable objects. With these standard facilities from OMG Typed Event/Notification Service, J2EE 1.3, and VisiNotify extensions, event driven RMI/EJB applications can be developed as normal object oriented applications rather than mapping OMG Notification Service as a JMS provider and then using JMS/MDB. The advantages of this approach are:

- Significant performance improvement.
- Smaller event size.
- Static type safe RMI stubs and skeleton perform message pack/unpack.
- Events are described by user defined Java RMI interface.

This section describes how OMG Typed Event/Notification Service VisiNotify is used in the RMI/EJB environments.

This user defined Java RMI remote interface is used as either an RMI server interface or an EJB consumer bean remote interface throughout the examples in this section.

```
package TMN;

import java.rmi.Remote;
import java.rmi.RemoteException;

public interface Notification extends Remote {
    void attributeValueChange(...) throws RemoteException;
    void qosAlarm(...) throws RemoteException;
    ...
}
```

Developing an RMI typed consumer

A RMI typed push consumer is essentially an RMI callback application connected to the OMG Typed Notification service. The typed push consumer RMI object implements user defined RMI interface. An RMI typed consumer is very similar to a CORBA typed consumer with slight differences. They include:

- The RMI object does not need to be explicitly activated on POA.

- The application needs to get RMI object's CORBA object reference as the <I> interface (see step 4 in the example below).

This code example shows an RMI typed push consumer:

```
// 1. Implement the user defined typed consumer RMI object
class RMINotifyImpl
    extends PortableRemoteObject
    implements TMN.Notification {
    ...
    public void attributeValueChange (...) { ... }
    public void qosAlarm(...) { ... }
    ...
}

// 2. Implement the handler servant
public class TypedPushConsumerImpl
    extends org.omg.CosTypedNotifyComm.TypedPushConsumer {
    org.omg.CORBA.Object _the_typed_consumer = null;
    // the <I> interface

    TypedPushConsumerImpl(org.omg.CORBA.Object ref){
        _the_typed_consumer = ref;
    }
    org.omg.CORBA.Object get_typed_consumer() {
        // return the <I> interface
        return _the_typed_consumer; }
    ...

    public static void main(String [] args) {
        // Get orb and POA ...
        ...
    }

// 3. Allocate a RMI consumer object
RMINotifyImpl consumer = new RMINotifyImpl();

// 4. Get the CORBA object reference of the RMI consumer
org.omg.CORBA.Object corba_obj =
javax.rmi.CORBA.Util.getTie(consumer).thisObject();

// 5. Allocate a handler servant and pass it the typed // consumer reference
TypedPushConsumerImpl handler = new TypedPushConsumerImpl(corba_obj);

// 6. Activate the handler object on a POA
poa.activate_object(handler);

// 7. Activate the POA(s)
poa.the_POAManager().Activate();

...
// 8. Somehow, we get a typed channel from somewhere
org.omg.CosTypedNotifyChannelAdmin.TypedEventChannel channel = ...;

// 9. Somehow, we decide to use the default admin
org.omg.CosTypedNotifyChannelAdmin.TypedConsumerAdmin admin =
    channel.default_consumer_admin();

// 10. Obtain a proxy push supplier from the admin
org.omg.CosNotifyChannelAdmin.ProxyIDHolder pxy_id_holder = new
    org.omg.CosNotifyChannelAdmin.ProxyIDHolder();
org.omg.CosTypedNotifyChannelAdmin.ProxySupplier proxy =
```

```
admin.obtain_typed_notification_push_supplier("RMI.Test" ,
    pxy_id_holder);

// 10. Get handler object reference and connect it to the proxy
org.omg.CORBA.Object ref = poa.servant_to_reference (handler);
org.omg.CosTypedNotifyComm.TypedPushConsumer consumer =
    org.omg.CosTypedNotifyComm.TypedPushConsumerHelper.narrow(ref);
proxy.connect_typed_push_consumer(consumer);

// working loop
orb.run();
}
}
```

Developing an RMI typed supplier

An RMI typed supplier is very similar to its CORBA counterpart except that the `<I>` reference, which is returned from `get_typed_consumer()`, should be narrowed into the correspondent RMI stub (see step 6 in example below).

This code example shows an RMI typed push supplier:

```
import org.omg.CosTypedNotifyComm.*;
import org.omg.CosTypedNotifyChannelAdmin,*;
import org.omg.CosNotification.*;

public class TypedPushSupplierImpl
{
    ...

    // The typed push supplier client
    public static void main(String[] args) {
        // get orb ...
        ...

        // 1. Somehow, we get the typed channel from somewhere
        org.omg.CosTypedNotifyChannelAdmin.TypedEventChannel_var channel = ...;

        // 2. Somehow, we decide to use the default admin
        org.omg.CosTypedNotifyChannelAdmin.TypedSupplierAdmin admin
            = channel.default_supplier_admin();

        // 3. Obtain a typed proxy push consumer from the admin
        Org.omg.CosTypedNotifyChannelAdmin.ProxyIDHolder pxy_id
            = new org.omg.CosTypedNotifyChannelAdmin.ProxyIDHolder();
        CosTypedNotifyChannelAdmin::TypedProxyPushConsumer_var proxy
            = admin.obtain_typed_notification_push_consumer("RMI.Test, pxy_id);

        // 4. Connect to the proxy
        proxy.connect_typed_push_supplier(null);

        // 5. Get the <I> interface
        org.omg.CORBA.Object obj = proxy.get_typed_consumer();

        // 6. Narrowing the CORBA object reference into RMI stub.
        TMN.Notification consumer = (TMN.Notification)PortableRemoteObject.
            narrow(obj, TMN.Notification.class);

        // 7. Push events to the <I> RMI stub
        for(int i=0;i<100;i++) {
            consumer.attributeValueChange(...);
            consumer.qosAlarm(...);
        }

        // 8. Flush buffered events
        com.inprise.vbroker.orb.BufferedEvents.flush();

        // 9. Gracefully cleanup
        proxy.disconnect_typed_push_consumer();
    }
}
```

Developing an EJB bean as a Typed Notification consumer

An EJB typed event bean can be any type of bean (session or entity, stateless or stateful), except for an MDB. The EJB typed event bean implements event operations as declared in the given associated user-defined remote interface.

This code example shows an EJB bean as a push consumer of a user-defined TMN.Notification remote interface:

```
import javax.ejb.*;

// 1. The bean implementation
public class TMNNotifyBean implements SessionBean {
    ...
    // implement operations declared in bean's remote interface
    public void attributeValueChange (...) { ... }
    public void qosAlarm(...) { ... }
    ...
}
```

After building and deploying this typed EJB bean implementation, your application can:

- Get its home interfaces from JNDI name.
- Get its remote interface from the home interface.
- Connect its remote interface to an OMG Typed Notification channel.

In this release, a command line utility, *subtool*, is provided to subscribe an EJB bean as a typed RMI consumer by knowing its JNDI name. To connect a typed event EJB bean to an OMG Typed Notification channel, use the *subtool* command:

```
% subtool [-channel <ior>|-admin <ior>] \
          -home <jndi_name> \
          -type typed \
          -key <proxy_key>
```

where:

- The `-channel` or `-admin` option specify the channel or consumer admin object as the subscribe point.
- The `-home <jndi_name>` tells *subtool* the JNDI name of the bean's Home interface.
- The `-type typed` option tells *subtool* to connect the bean's remote interface as typed consumer.
- The `-key <proxy_key>` option tells the *subtool* what should be the key parameter for `obtain_typed_notification_push_supplier()`.

This example shows using *subtool* to subscribe a typed event bean to a OMG Typed Notification Channel:

```
% subtool -channel corbaloc::127.0.0.1:14100/default_channel \
          -home stock_home -type typed -key Stock
```

Developing an EJB bean as a Structured Notification consumer

An EJB structured event bean can be any type of EJB bean (session or entity, stateless or stateful), except for an MDB. This EJB structured event bean can connect to an VisiNotify Structured Notification Service and receive structured events originating from non-RMI CORBA applications. An EJB structured event bean implements, among other mandatory operations, a void `push_structured_event` (`org.omg.CosNotification.StructuredEvent`) operation. This operation should not be overloaded in this bean and its remote interface.

Unlike typed event beans, support of structured event beans is a VisiNotify extension. VisiNotify does a special translation to convert a `StructuredEvent` structure that is sent into the channel from a CORBA Structured supplier application into a `StructuredEvent` valuebox when it detects the connected consumer is a structured event EJB bean.

This example shows an EJB bean as a structured push consumer:

```
import javax.ejb.*;

// The bean implementation
public class MyStructuredNotifyBean implements SessionBean
{
    ...
    public void push_structured_event(
        org.omg.CosNotification.StructuredEvent event) { ... }
    ...
}
```

After building and deploying this structured event bean, connect its remote interface to the given VisiNotify's structured event channel. The remote interface of this bean should declare the `push_structured_event()` operation. This code example shows the connection as:

```
import java.rmi.Remote;
import java.rmi.RemoteException;

// The bean's remote interface
public interface MyStructuredInterface extends Remote {
    public void push_structured_event(
        org.omg.CosNotification.StructuredEvent event)
        throws
            RemoteException;
    ...
}
```

The ORB type system does not permit directly connecting this structure event bean's remote interface as a structured event consumer to OMG Notification Service structured channel. Therefore, to connect a structured event bean to a VisiNotify Structured Notification channel, use the `subtool` command:

```
% subtool [-channel <ior>|-admin <ior>] \
          -home <jndi_name> \
          -type struct
```

where:

- The `-channel` or `-admin` option specify the channel or consumer admin object as the subscribe point.

- The `-home <jndi_name>` tells `subtool` the JNDI name of the bean's Home interface.
- The `-type struct` option tells `subtool` to connect the bean's remote interface as structured consumer.

This example shows using `subtool` to subscribe a structured event bean to a VisiNotify Structured Notification Channel:

```
% subtool -channel corbaloc::127.0.0.1:14100/
default_channel \
             -home stock_home -type struct
```

VisiBroker Event Buffering/Batch

Event buffering/batch is a mechanism implemented in VisiBroker (since version 5.1) to optimize VisiNotify event throughput. By default, events are buffered in supplier-side stubs before being flushed to VisiNotify as a larger batch message. Also, if VisiNotify detects that the consumer is working on top of VisiNotify (5.1 or later), it will try to buffer/batch events together.

Disable supplier-side event buffering

Supplier applications can disable supplier-side event buffering by setting `vbroker.orb.supplier.eventBatch` to false. For example:

```
% typedPushSupplier ... -Dvbroker.orb.supplier.eventBatch=false
or
% vbj ... StructPushSupplier ... -Dvbroker.orb.supplier.eventBatch=false
```

Disable consumer-side event buffering

Consumer applications can also disable VisiNotify from sending events in batch by setting `vbroker.orb.consumer.eventBatch` to false. For example:

```
% typedPushConsumer ... -Dvbroker.orb.consumer.eventBatch=false
or
% vbj ... StructPushConsumerImpl ... -Dvbroker.orb.consumer.eventBatch=false
```

Flush buffered events in supplier application

The supplier-side VisiBroker runtime will flush an event when these conditions occur:

Event buffer is full: This is a per-stub level flush. The default size of this stub level event buffer is 32K. A given supplier application can use `vbroker.orb.supplier.eventBufferSize` to change this size between 8K and 64K. For example:

```
% typedPushSupplier ... -Dvbroker.orb.supplier.eventBufferSize=48000
```

Number of buffered events reaches the maximum batch size: This is a per-stub level flush. The default maximum number of events that a stub can hold in its buffer is 128. A supplier application can use `vbroker.orb.supplier.maxBatchSize` to change this size to any value less than 256. For example:

```
% vbj ... UntypedPushSupplier ... -Dvbroker.orb.supplier.eventBatchSize=32
```

Internal buffer flush timeout: This is a global flush. On timeout, all events buffered in all stubs will be flushed out. The default timeout interval is 2,000 milliseconds (2 seconds). A supplier application can use `vbroker.orb.supplier.eventBatchTimerInterval` to change this time between 100 millisecond (0.1 second) and 10,000 milliseconds (10 seconds). For example:

```
% typedPushSupplier ... -Dvbroker.orb.supplier.eventBatchTimerInterval=5000
```

Supplier invoked a non-bufferable operation on the stub: This is a per-stub level flush and includes:

- For untyped proxy consumer stub, only the `push()` operation is bufferable.
- For structured proxy consumer stub, only the `push_structured_event()` operation is bufferable.
- For sequence proxy consumer stub, only the `push_structured_events()` operation is bufferable.

Note

Therefore, invoking `disconnect_..._push_consumer()` operations or `_non_existent()` on the proxy stubs (above) will flush out all buffered events.

- For the `<I>` interface stub of a typed channel, all non-pseudo operations are bufferable.

Therefore, a supplier application can invoke `_non_existent()` operation on an `<I>` interface stub to flush its buffered events. Notice that the calling `disconnect_typed_push_consumer()` on a typed proxy consumer stub will not cause the buffer in a corresponding `<I>` stub to be flushed. The application should explicitly call `_non_existent()` on an `<I>` interface stub before calling `disconnect_typed_push_consumer()` on proxy stub.

Java application calling `BufferedEvent.flush()`

A Java supplier application can explicitly call `com.inprise.vbroker.orb.BufferedEvents.flush()` to flush. This is a global level event flush. It is to support VisiBroker RMI applications because there is no pseudo operation on a `java.rmi.Remote` interface, which can be used for event flush. Calling this static method will flush out all events in every stub.

Initial Reference of VisiNotify

By default, VisiNotify uses TCP port number 14100 unless `-Dvbroker.notify.listener.port=<port>` is used in the command line. Therefore, as specified by OMG Notification Service, the URL of the Channel factory and typed channel factory are:

```
corbaloc::<host>:14100/NotificationService
corbaloc::<host>:14100/TypedNotificationService
```

where, `<host>` is the domain name or dotted IP address of the VisiNotify host machine. The VisiNotify server also creates a default channel. The URL of this default channel is:

```
corbaloc::<host>:14100/default_channel
```

This URL can be registered to the supplier or consumer application's ORB using these two OMG standardized scenarios:

- 1 `-ORBInitRef ORB_init()` command line option. Examples:

```
-ORBInitRef NotificationService=corbaloc::127.0.0.1:14100/  
NotificationService
```

or

```
-ORBInitRef TypedNotificationService=corbaloc::127.0.0.1:14100/  
TypedNotificationService
```

2 ORB::register_initial_reference(). Examples:

```
orb.register_initial_reference("TypedNotificationService",  
    orb.string_to_object(  
        "corbaloc::127.0.0.1:14100/  
TypedNotificationService");
```

After registering them as an initial service, the application can use
resolve_initial_reference().

Using the Publish Subscribe Adapter (PSA)

This chapter introduces VisiBroker Publish/Subscribe Adapter (PSA). The PSA is primarily a programming model and a component that works in conjunction with OMG Event/Notification Service. It is interoperable with applications that use low-level OMG Notification Service interfaces.

Introduction

As “one of the best client/server middleware products,” CORBA provides solid support for traditional client/server applications that are based on OMG object-oriented ORB architecture. However, there are some issues with CORBA in respect to supporting publish/subscribe applications. For many enterprise business applications, the publish/subscribe communication model is as important as the client/server model. Direct support of the publish/subscribe communication model in the CORBA middleware infrastructure substantially reduces the development effort by allowing developers to focus on implementing business logic rather than redesigning system solutions.

Notwithstanding, the ORB level support of the publish/subscribe communication model has been virtually omitted within OMG along with third-party ORB vendors. The publish/subscribe communication model is considered as a “second-class citizen” within the CORBA development sphere. Consequently, application developers have to resort to COS level solutions, such as Event/Notification Services, which are more or less message oriented rather than object oriented. In COS Event/Notification Service, the publish/subscribe is modeled as replicated client/server communications. The disadvantages of this modeling are:

- The object abstraction is at a very low level. A large semantic gap has to be filled by application developers. They have to directly manipulate low level concepts and objects of client/server communications, such as consumer proxy, supplier proxy, and so forth, including direct rearrangement of their interconnections.
- Usage of tight coupling in the object model. Although the channel connection model, message format (structured, typed, etc.) and message transfer model (push/pull) are orthogonal, they are tightly coupled. A change in one part of these components will impact other parts, especially when changing structured to typed channel or typed push to typed pull.

Note

CORBA is not the only distributed object middleware that does not provide support for non-classic communication models at the same object abstraction level. For instance, within the RMI/EJB environment, instead of extending the original Java and RMI object model, a message oriented model (namely, JMS/MDB) is used.

The Publish/Subscribe Adapter (PSA) described in this chapter addresses the problems previously mentioned. PSA is mainly a programming model and a software component working on top of OMG standardized Notification Service. Therefore, PSA can be used along with third party OMG Notification

Service implementations and is also interchangeable with applications which are directly built with low-level OMG Notification Service interfaces.

One of the basic functions of the PSA is to hide the details pertaining to channel connections. Typically, when designing a CORBA publish/subscribe application, the main goal is to make the application consumer object receive events from a given channel. The channel is usually specified by its channel reference or consumer admin reference. The consumer object is usually specified by its POA and object id. By using OMG Notification Service directly, the application requires multiple steps in connecting the consumer object to the channel. However, by using PSA, the application only needs a single operation to complete this connection.

To introduce the basic concept of PSA, this example shows how a typed event consumer application is coded. Assume that the typed event is defined by the IDL interface:

```
// TMN.idl: typed event definition
#pragma prefix "examples.borland.com"
module TMN {
    interface TypedEvent {
        void attributeValueChange(...);
        ...
    };
};
```

First, in order for the typed event consumer to be able to receive events, it needs to provide a servant implementation that derives from the user defined event interface skeleton, POA_TMN::TypedEvent:

```
// 1. Implement typed servant
#include "TMNEvents_s.hh"
class TMNTypedEventImpl : public POA_TMN::TypedEvent,
    public PortableServer::RefCountServantBase
{
public:
    void attributeValueChange(...) { ... };
    ...
};
```

Next, activate this servant on a POA:

```
int main(int argc, char** argv)
{
    ...
// 2. Get orb and poa environment
CORBA::ORB_ptr orb = CORBA::ORB_init(argc, argv);
CORBA::Object_var obj =
    orb->resolve_initial_references("RootPOA");
PortableServer::POA_var poa =
    PortableServer::POA::_narrow(obj);
// 3. Construct the typed servant
TMNTypedEventImpl* servant = new TMNTypedEventImpl();
// 4. Activate it on poa
poa->activate_object(servant);
```

Up to this point, the typed event application is treated as a normal typed consumer application and nothing special has been added. If this was a normal client/server example, then, the application would create an object reference from POA and pass it to clients. In any case, this example is of a publish/subscribe consumer, therefore, the application does not need to pass its reference directly to a client, which is the event publisher. Instead, the consumer needs to connect to a given channel or consumer admin object reference.

With PSA, instead of “connecting” the consumer to the channel, you simply “subscribe” it to the channel:

```

// 5. Somehow, this consumer is given a channel reference
CORBA::Object_var channel = ... ;
// 6. Get object id of the consumer servant
PortableServer::ObjectId_var oid =
    poa-servant_to_id(servant);
// 7. Narrow the POA to PSA
PortableServerExt::PSA_var psa =
    PortableServerExt::PSA::_narrow(poa);
// 8. Subscribe to the channel
PortableServerExt::SubjectScheme scheme = {
    PortableServerExt::CHANNEL_ADDR,
    PortableServerExt::TYPED_SUBJECT,
    (const char*)"IDL:example.borland.com/TMN/
TypedEvent:1.0",
    PortableServerExt::PUSH_EVENT };
    psa->subscribe(scheme, channel, oid,
CORBA::NameValuePairSeq());
// 9. Consumer working loop
poa->the_POAManager()->activate();
orb->run();
}

```

As shown in the code, the application only needs to create the typed servant implementation with PSA. The application does not need to have the `CosTypedNotifyComm::TypedPushConsumer` servant to support `get_typed_consumer()`. Also, notice that the subscribe is a one-step procedure instead of multiple (six steps) operations to make a “connection.”

Here is the Java code example equivalent:

```

import com.inprise.vbroker.PortableServerExt.*;
// 1. Implement typed servant
public class TMNTypedEventImpl : extend TMN.TypedEventPOA,
{
    public void attributeValueChange(...) { ... }
};
public class TypedPushConsumerImpl
{
    public static void main(String[] args)
    {
        ...
        // 2. Get orb and psa environment
        org.omg.CORBA.ORB orb = ORB_init(args, null);
        org.omg.PortableServer.POA poa =
            org.omg.PortableServer.POA.ORB.resolve_initial_references("RootPOA");
        // 3. Construct the typed servant
        TMNTypedEventImpl servant = new TMNTypedEventImpl();
        // 4. Activate it on root psa
        poa.activate_object(servant);
        // 5. Somehow, this consumer is given a channel reference
        org.omg.CORBA.Object channel = ...;
        // 6. Get object id of the consumer servant
        org.omg.PortableServer.ObjectId oid = psa.servant_to_id(servant);
        // 7. Narrow the org.omg.PortableServer.POA to com.inprise.vbroker.PSA
        PSA psa = PSA.narrow(poa);
        // 8. Subscribe to the channel
        SubjectScheme scheme = new SubjectScheme(
            SubjectAddressScheme.CHANNEL_ADDR,
            SubjectInterfaceScheme.TYPED_SUBJECT,

```

```

"IDL:example.borland.com/TMN/TypedEvent:1.0",
SubjectDeliveryScheme.PUSH_EVENT);
psa.subscribe(scheme, channel, oid, null);

// 9. working loop
poa.the_POAManager().activate();
orb.run();
}
}

```

This example clearly shows how the PSA works in conjunction with OMG Event/Notification Service or Typed Event/Notification Service. More importantly, it shows how it simplifies the CORBA publish/subscribe application by shielding it from the low level notification service objects such as admins/proxies and operations.

Later in this chapter, you will see how the PSA de-couples connection logic from the event interface and transfer model. Connection logic, such as subscribe, in the PSA is not affected by event interface and transfer model. For instance, changing a structured consumer to a typed consumer or changing a typed consumer from push to pull, requires no change in consumer subscribe logic but only a flag change on subject scheme. These kind of changes would require major code modifications to consumer connection logic if the PSA is not used. Additionally, this chapter provides examples that covers the various application cases and show the power and usage of the PSA.

PSA reference and PSA interface IDL

PSA is an extension of POA and supports all operations defined for POA. Since version 5.1, a VisiBroker POA reference can be narrowed down to a PSA reference and `resolve_initial_references()` with `RootPOA` and `RootPSA`, which actually return the same internal reference.

This code example shows how to get root PSA.

C++

```

// Getting root PSA in C++
CORBA::Object_var ref =
orb->resolve_initial_references("RootPSA");
PortableServerExt::PSA_var psa =
PortableServerExt::_narrow(ref);

```

Java

```

// Getting root PSA in Java
// get publisher/subscriber adapter
org.omg.CORBA.Object ref =
orb.resolve_initial_references("RootPOA");
PSA psa = PSAHelper.narrow(ref);

```

PSA is defined in `PortableServerExt` module and (indirectly) derived from `PortableServer::POA`.

```

module PortableServerExt {
interface POA : PortableServer::POA {
readonly attribute CORBA::PolicyList the_policies;
};
enum SubjectAddressScheme {
SUBSCRIBE_ADMIN_ADDR,
PUBLISH_ADMIN_ADDR,

```



```

        CHANNEL_ADDR,
        SUBJECT_ADDR
    };

enum SubjectInterfaceScheme {
    TYPED_SUBJECT,
    UNTYPED_SUBJECT,
    STRUCTURED_SUBJECT,
    SEQUENCE_SUBJECT
};

enum SubjectDeliveryScheme {
    PUSH_EVENT,
    PULL_EVENT
};

typedef string SubjectInterfaceId;
struct SubjectScheme {
    SubjectAddressScheme address_scheme;
    SubjectInterfaceScheme interface_scheme;
    SubjectInterfaceId interface_id;
    SubjectDeliveryScheme delivery_scheme;
};

typedef Object Subject;
typedef CORBA::OctetSequence PublishSubscribeDesc;
typedef PublishSubscribeDesc SubscribeDesc;
typedef PublishSubscribeDesc PublishDesc;
exception InvalidSubjectScheme { long error; };
exception InvalidSubscribeDesc { long error; };
exception InvalidPublishDesc { long error; };
exception InvalidProperties { CORBA::StringSequence names; };
exception ChannelException { string repository_id; }
// The Publisher/Subscriber Adapter
interface PSA : POA {
    // register subject observer
    SubscribeDesc subscribe(
        in SubjectScheme the_subject_scheme,
        in Subject the_subject,
        in PortableServer::ObjectId the_observer_id,
        in CORBA::NameValuePairSeq the_properties )
        raises( InvalidSubjectScheme,
            InvalidProperties,
            ChannelException );
    // Register subject provider
    PublishDesc publish(
        in SubjectScheme the_subject_scheme,
        in Subject the_subject,
        in PortableServer::ObjectId the_pullable_publisher_id,
        in CORBA::NameValuePairSeq the_properties )
        raises( InvalidSubjectScheme,
            InvalidProperties,
            ChannelException );
    // Unregister observer from subject
    void unsubscribe(
        in SubscribeDesc the_subscribe_desc )
        raises( InvalidSubscribeDesc,
            ChannelException );
    // Unregister (pull mode) provider
    void unpublish(
        in PublishDesc the_publish_desc)
        raises( InvalidPublishDesc,
            ChannelException );

```

```

// Suspend subject to push into the registered
// observer or suspend subject to pull from the
// registered provider
void suspend(
    in PublishSubscribeDesc the_desc)
    raises( ChannelException );
// Resume subject to push into the registered
// observer or resume subject to pull from the
// registered provider.
Void resume(
    in PublishSubscribeDesc the_desc)
    raises( ChannelException );
// Pull (typed) event and dispatch it to a registered
// observer.
unsigned long pull_and_dispatch(
    in SubscribeDesc the_subscribe_desc,
    in unsigned long max_count,
    in boolean block_pulling,
    in Boolean async_dispatch)
    raises( InvalidSubscribeDesc,
           InvalidSubjectScheme,
           ChannelException );

// Pull (typed) event and accept a given visitor to
// 'visit' the event.
Unsigned long pull_and_visit(
    in SubscribeDesc the_subscribe_desc,
    in unsigned long max_count,
    in Boolean block_pulling,
    in PortableServer::Servant the_visitor)
    raises( InvalidSubscribeDesc,
           InvalidSubjectScheme,
           ChannelException );
Subject the_subject_addr(
    in PublishSubscribeDesc the_desc)
    raises( InvalidSubjectScheme );
// low level access
Object the_proxy_addr(
    in PublishSubscribeDesc the_desc)
    raises( InvalidSubjectScheme );
};
...
};

```

In VisiBroker (version 5.1 and later), all POAs are internally implemented as PSAs. Therefore, any POA reference in VisiBroker can always be narrowed into a PSA reference.

This code example shows the narrowing POA to PSA.

C++

```

// Narrowing a POA into a PSA in C++
PortableServer::POA_var poa = parent_poa->create_POA(...);
PortableServerExt::PSA_var psa =
PortableServerExt::_narrow(poa);

```

Java

```
// Narrowing a POA into a PSA in Java
org.omg.PortableServer.POA poa =
parent_poa.create_POA(...);
com.inprise.vbroker.PortableServerExt.PSA psa =
com.inprise.vbroker.PortableServerExt.PSAHelper.narrow
(poa);
```

User examples

The following examples compare application code written with the COS notification method and PSA. The examples are:

- [Structured Push Consumer](#)
- [Typed Push Consumer](#)
- [Structured and Typed Push Supplier](#)

Structured Push Consumer

The table below compares the same structured push consumer application written in notification connection method (left column) and PSA (right column). The noticeable difference are:

- PSA simplifies the connection code from three steps to one.
- Push consumers using PSA is very similar to a normal server application.

This code example shows the connection/subscribe structured consumer to a channel in **C++**:

Structured Push Consumer using Notification Service interface (basic_cpp/structPushConsumer.C)

```
// Implement consumer servant
class StructuredPushConsumerImpl :
public POA_CosNotifyComm::

StructuredPushConsumer, Public
PortableServer::RefCountServantBase
{
public:
void push_structured_event(...) {...}
...
};
using namespace CosNotifyChannelAdmin;
int main(int argc, char** argv)
{

// Get orb and poa environment
CORBA::ORB_ptr orb
= CORBA::ORB_init(argc, argv);
CORBA::Object_var obj = orb->
resolve_initial_references(
"RootPOA");
PortableServer::POA_var poa =

PortableServer::POA::_narrow(obj);
// Get channel reference
EventChannel_var channel = ...;
// Allocate the consumer servant
StructuredPushConsumerImpl* servant =
new StructuredPushConsumerImpl();
```

Structured Push Consumer using PSA (psa_cpp/structPushConsumer.C)

```
// Implement consumer servant
class StructuredPushConsumerImpl :
public POA_CosNotifyComm::

StructuredPushConsumer, Public
PortableServer::RefCountServantBase
{
public:
void push_structured_event(...)
{...}
...
};
// No channel type specific namespace
int main(int argc, char** argv)
{

// Get orb and psa environment
CORBA::ORB_ptr orb
= CORBA::ORB_init(argc, argv);
CORBA::Object_var obj = orb->
Resolve_initial_references(
"RootPSA");
PortableServerExt::PSA_var psa =

PortableServerExt::PSA::_narrow(obj);
// Get channel reference
CORBA::Object_var channel = ...;
// Allocate the consumer servant
StructuredPushConsumerImpl* servant =
new StructuredPushConsumerImpl();
```

Structured Push Consumer using Notification Service interface (basic_cpp/structPushConsumer.C)

```

// Activate it on root poa
poa->activate_object(servant);
// Get consumer object reference
CORBA::Object_var obj =
    poa->servant_to_reference(servant);
CosNotifyComm::
StructuredPushConsumer_var
    consumer = CosNotifyComm::

StructuredPushConsumer::_narrow(obj);
// Connect to channel
// 1. Get default admin
ConsumerAdmin_var admin =
    channel->default_consumer_admin();

// 2. Create a proxy
ProxyID proxy_id;
ProxySupplier_var proxy = admin->
    obtain_notification_push_supplier(
        STRUCTURED_EVENT, proxy_id);
// Narrow to the stub
StructuredProxyPushSupplier_var
supplier
    = StructuredProxyPushSupplier::
_narrow(proxy);
// 3. Connect proxy supplier
supplier->
connect_structured_push_consumer(
consumer);
// working loop
orb->run();
}

```

Structured Push Consumer using PSA(psa_cpp/structPushConsumer.C)

```

// Activate it on root psa
psa->activate_object(servant);
// Get consumer object id
PortableServer::ObjectId_var oid =
    poa->servant_to_id(servant);
// Subscribe to channel

// Specify the subject scheme
PortableServerExt::SubjectScheme
scheme =
PortableServerExt::CHANNEL_ADDR,

PortableServerExt::STRUCTURED_SUBJECT,
(const char*)"",
PortableServerExt::PUSH_EVENT };
// 1. Subscribe
psa->subscribe(scheme, channel, oid,
CORBA::NameValuePairSeq());
// working loop
orb->run();
}

```

This is the **Java** equivalent.

Structured push consumer using Notification service interface (basic_java/structPushConsumer.java)

```

import org.omg.CORBA.*;
import org.omg.PortableServer.*;
import org.omg.CosNotifyComm.*;
// Implement consumer servant
class StructuredPushConsumerImpl :
extend StructuredPushConsumerPOA
{
    public void push_structured_event(...)
    {...}
    ...
    public static void main(String[] args){

// Get orb and poa environment
ORB orb = ORB_init(args, null);
Object obj
    = orb.resolve_initial_references(
        "RootPOA");
POA poa = POA.narrow(obj);

```

Structured push consumer using PSA (psa_java/structPushConsumer.java)

```

import org.omg.CORBA.*;
import com.inprise.vbroker.

PortableServerExt.*;
// Implement consumer servant
class StructuredPushConsumerImpl :extend
CosNotifyComm.StructuredPushConsumerPOA
{
    public void push_structured_event(...)
    {...}
    ...
    public static void main(String[] args)
    {

// Get orb and psa environment
ORB orb = ORB_init(args, null);
Object obj
    = orb.resolve_initial_references(
        "RootPSA");
PSA psa = PSA.narrow(obj);

```

Structured push consumer using Notification service interface (basic_java/structPushConsumer.java)

```

// Get channel reference
EventChannel channel = ...;
// Allocate the consumer servant
StructuredPushConsumerImpl servant =
    New StructuredPushConsumerImpl();
// Activate it on root poa
poa.activate_object(servant);
// Get consumer object reference
Object ref =
poa.servant_to_reference(servant);
StructuredPushConsumer consumer =
StructuredPushConsumer.narrow(ref);

// Connect to channel
// 1. Get default admin
ConsumerAdmin admin
    = channel.default_consumer_admin();
// 2. Create a proxy
ProxyID proxy_id;
ProxySupplier proxy
    = admin.

obtain_notification_push_supplier(
    STRUCTURED_EVENT,
proxy_id);
// Narrow to the stub
StructuredProxyPushSupplier supplier
    = StructuredProxyPushSupplier.
narrow(proxy);
// 3. Connect proxy supplier
supplier.
Connect_structured_push_consumer(
Consumer);
// working loop
orb.run();
}

```

Structured push consumer using PSA (psa_java/structPushConsumer.java)

```

// Get channel reference
CORBA.Object channel = ...;
// Allocate the consumer servant
StructuredPushConsumerImpl servant =
    New StructuredPushConsumerImpl();
// Activate it on root psa
psa.activate_object(servant);
// Get consumer object id
org.omg.PortableServer.ObjectId oid
    = psa.servant_to_id(servant);

// Subscribe to channel

// Specify the subject scheme
SubjectScheme scheme = new
SubjectScheme(
    SubjectAddressScheme.CHANNEL_ADDR,
    SubjectInterfaceScheme.
        STRUCTURED_SUBJECT,
    (const char*)"",
    SubjectDeliveryScheme.PUSH_EVENT);
// 1. Subscribe
psa.subscribe(
    scheme, channel, oid, null);
// working loop
orb.run();
}

```

Typed Push Consumer

The table below shows the code written with the notification connection method (left column) and PSA (right column). The noticeable differences are:

- PSA simplifies the connection code from six steps to one.
- Typed consumer application using PSA does not require the application to provide a proxy object for `get_typed_consumer()`. PSA transparently supplies this function.
- Typed push consumer using PSA is very similar to a normal server application.
- Typed push consumer using PSA is almost identical to the PSA structured push consumer, where the PSA shields applications from any changes of different channels.

This code example show the connection/subscribe typed consumer to a channel in C++:

Typed push consumer using Notification service interface (basic_cpp/typedPushConsumer.C)

```
// Implement proxy consumer servant
class TypedPushConsumerImpl :
    public POA_CosTypedNotifyComm::
        TypedPushConsumer, Public
PortableServer::RefCountServantBase
{
    CORBA::Object_var _I;
    Public:
    TypedPushConsumerImpl(
        CORBA::Object_ptr I) : _I(
        CORBA::Object::_duplicate(I)) {}
    CORBA::Object_ptr
get_typed_consumer() {
    return
CORBA::Object::_duplicate(_I);
}
    ...
};
// Implement typed servant
class TMNTypedEventImpl :
    public POA_TMN::TypedEvent,
    public
PortableServer::RefCountServantBase
{
    public:
    void attributeValueChange(...);
    ...
};
using namespace
CosTypedNotifyChannelAdmin;
int main(int argc, char** argv)
{
    // Get orb and poa environment
    CORBA::ORB_ptr orb
        = CORBA::ORB_init(argc, argv);
    CORBA::Object_var obj = orb->
        resolve_initial_references(
            "RootPOA");
    PortableServer::POA_var poa =
PortableServer::POA::_narrow(obj);
    // Get channel reference
    TypedEventChannel channel = ... ;
    // Construct the typed servant
    TMNTypedEventImpl* typed_servant =
        new TMNTypedEventImpl();
    // Activate it on poa
    poa->activate_object(typed_servant);
    // Get its reference
    CORBA::Object_var typed_ref =
        poa->servant_to_reference(
typed_servant);
    // Connect to channel
    // 1. Construct the proxy consumer
    TypedPushConsumerImpl* servant =
        new
TypedPushConsumerImpl(typed_ref);
```

Typed push using PSA (psa_cpp/typedPushConsumer.C)

```
// No need to implement the proxy
consumer.
// PSA transparently supplies a proxy to
// support get_typed_consumer().
// implement typed servant
class TMNTypedEventImpl :
    public POA_TMN::TypedEvent, public
PortableServer::RefCountServantBase
{
    public:
    void attributeValueChange (...);
    ...
};
// no channel typed specific namespace
int main(int argc, char** argv)
{
    // Get orb and psa environment
    CORBA::ORB_ptr orb
        = CORBA::ORB_init(argc, argv);
    CORBA::Object_var obj = orb->
        Resolve_initial_references(
            "RootPSA");
    PortableServerExt::PSA_var psa =
PortableServerExt::PSA::_narrow(obj);
    // Get channel reference
    CORBA::Object_var channel = ... ;
    // Construct the typed servant
    TMNTypedEventImpl* typed_servant =
        new TMNTypedEventImpl();
    // Activate it on root psa
    psa->activate_object(typed_servant);
    // Get its object id
    PortableServer::ObjectId_var oid =
        poa->servant_to_id(typed_servant);
    // Subscribe to channel
    // Specify the subject scheme
    PortableServerExt::SubjectScheme
scheme =
    { PortableServerExt::CHANNEL_ADDR,
      PortableServerExt::TYPED_SUBJECT,
      (const
char*)"IDL:example.borland.com"
      "TMN/TypedEvent:1.0",
      PortableServerExt::PUSH_EVENT };
    // 1. Subscribe
    psa->subscribe(scheme, channel, oid,
CORBA::NameValuePairSeq());
    // working loop
    orb->run();
}
```

Typed push consumer using Notification service interface (basic_cpp/typedPushConsumer.C)

```

// 2. Activate it on root poa
poa->activate_object(servant);
// 3. Get consumer object reference/
obj = poa
->servant_to_reference(servant);
CosTypedNotifyComm::TypedPushConsumer_
var consumer = CosTypedNotifyComm::
TypedPushConsumer::_narrow(obj);
// 4. Get default admin
TypedConsumerAdmin_var admin =
channel->default_consumer_admin();
// 5. Create a proxy
CosNotifyChannelAdmin::ProxyID proxy_id;
TypedProxySupplier_var proxy = admin->
obtain_notification_push_supplier(
"IDL:example.borland.com/"
"TMN/TypedEvent:1.0", proxy_id);
// 6. Connect proxy supplier
proxy->connect_typed_push_consumer(
consumer);
// working loop
orb->run();
}

```

Typed push using PSA (psa_cpp/typedPushConsumer.C)

The following code examples show the connection/subscribe typed consumer to a channel in **Java**:

Typed push consumer using Notification service interface (basic_java/typedPushConsumer.java)

```

import org.omg.CORBA.*;
import org.omg.PortableServer.*;
import org.omg.CosNotifyComm.*;
// Implement typed servant
public class TMNTypedEventImpl :
    extend TMN.TypedEventPOA,
{
    public void attributeValueChange(...);
    ...
}
public class TypedPushConsumerImpl :
    extend TypedPushConsumerPOA
{
    Object _I = null;
    public TypedPushConsumerImpl(Object I)
        { _I = I; }
    // Implement get_typed_consumer();
    public Object get_typed_consumer(
        {return _I; }
    ...
    public static void main(String[] args){
// Get orb and poa environment
ORB orb = ORB_init(args, null);
Object obj
= orb.resolve_initial_references(
"RootPOA");
POA poa = POA.narrow(obj);

```

Typed push consumer using PSA (psa_java/typedPushConsumer)

```

import org.omg.CORBA.*;
import com.inprise.vbroker.
PortableServerExt.*;
// Implement typed servant
public class TMNTypedEventImpl :
    extend TMN.TypedEventPOA,
{
    public void attributeValueChange(...);
    ...
}
public class typedPushConsumer
{
    // No need to implement the proxy
    // consumer. PSA transparently supplies
    // a proxy to support
    // get_typed_consumer().
    Public static void main(String args) {
// Get orb and psa environment
ORB orb = ORB_init(args, null);
Object obj
= orb.resolve_initial_references(
"RootPSA");
PSA psa = PSA.narrow(obj);

```

Typed push consumer using Notification service interface (basic_java/typedPushConsumer.java)

```

// Get channel reference
TypedEventChannel channel = ... ;
// Allocate the typed servant
TMNTypedEventImpl typed_servant =
    new TMNTypedEventImpl();
// Activate it on poa
poa.activate_object(typed_servant);

// Get its reference
Object typed_ref
    = poa.servant_to_reference(
        typed_servant);

// Connect to channel
// 1. Allocate the proxy consumer
TypedPushConsumerImpl servant = New
TypedPushConsumerImpl(typed_ref);
// 2. Activate it on root poa
poa.activate_object(servant);
// 3. Get consumer object reference
obj = poa->
    servant_to_reference(servant);
TypedPushConsumer consumer
    = TypedPushConsumer.narrow(obj);
// 4. Get default admin
TypedConsumerAdmin admin =
    Channel.default_consumer_admin();
// 5. Create a proxy
CosNotifyChannelAdmin::ProxyID proxy_id;
TypedProxySupplier proxy = admin.
    Obtain_notification_push_supplier(
        "IDL:example.borland.com/"
        "TMN/TypedEvent:1.0", proxy_id);
// 6. Connect proxy supplier
proxy.connect_typed_push_consumer(
    consumer);
// working loop
orb.run();
}

```

Typed push consumer using PSA (psa_java/typedPushConsumer)

```

// Get channel reference
Object channel = ... ;
// Allocate the typed servant
TMNTypedEventImpl typed_servant =
    new TMNTypedEventImpl();
// Activate it on root psa
psa.activate_object(typed_servant);
// Get its object id
PortableServer::ObjectId oid
    = psa.servant_to_id(typed_servant);

// Subscribe to channel
// Specify the subject scheme
SubjectScheme scheme = new
    (SubjectAddressScheme.CHANNEL_ADDR,
    SubjectInterfaceScheme.TYPED_SUBJECT,
    (const char*)"IDL:example.borland.com"
    "TMN/TypedEvent:1.0",
    SubjectDeliveryScheme.PUSH_EVENT);
// 1. Subscribe
psa.subscribe(
    scheme, channel, oid, null);
// working loop
orb.run();
}

```

These two examples clearly illustrate how PSA dramatically simplifies and unifies the procedures of connecting to a notification channel for both structured and typed consumers. It also shows how PSA de-couples the event format selection and connecting logic. The application code between structured and typed channel are substantially different when low level COS Notification Service is directly used. With PSA, the two examples have almost no difference in subscribing logic.

Structured and Typed Push Supplier

In these two examples, a typed push supplier and a structured push supplier applications are written in notification connection method (left column) and PSA (right column). The noticeable difference is that the typed push supplier using PSA is almost identical to the PSA structured push supplier. In both cases, the PSA shields the application from the different makeup of each channel.

Structured Supplier to a Channel

This code example shows the connection/subscribe structured supplier to a channel in C++:

Structured push supplier using Notification service interface (basic_cpp/structPushSupplier.C)

```
Using namespace CosNotifyChannelAdmin;
int main(int argc, char** argv)
{
    // Get orb and poa environment
    CORBA::ORB_ptr orb
        = CORBA::ORB_init(argc, argv);
    CORBA::Object_var obj = orb->
        Resolve_initial_references(
            "RootPOA");
    PortableServer::POA_var poa =
        PortableServer::POA::_narrow(obj);
    // Get channel reference
    EventChannel channel = ... ;
    // Connect to channel
    // 1. Get default admin
    ConsumerAdmin var admin =
        Channel->default_supplier_admin();
    // 2. Create a proxy
    ProxyID proxy_id;
    ProxyConsumer var proxy = admin->
        obtain_notification_push_consumer(
            STRUCTURED_EVENT, proxy_id);
    // 3. Get the StructuredProxyConsumer
    StructuredProxyPushConsumer_var
    consumer = StructuredProxyPushConsumer::_
        _narrow(proxy);
    consumer->
    connect_structured_push_supplier (NULL);
    // Push typed events interface
    for(;;) {
        consumer->
        >push_structured_event(...);
        ...
    }
    ...
}
```

Structured push supplier using PSA (basicpsa_cpp/structPushSupplier.C)

```
int main(int argc, char** argv)
{
    // Get orb and psa environment
    CORBA::ORB_ptr orb
        = CORBA::ORB_init(argc, argv);
    CORBA::Object_var obj = orb->
        Resolve_initial_references(
            "RootPSA");
    PSA_var psa = PSA::_narrow(obj);

    // Get channel reference
    CORBA::Object_var channel = ... ;
    // Publish to channel
    // 1. Publish
    PortableServerExt::SubjectScheme
    scheme = {
        PortableServerExt::CHANNEL_ADDR,
        PortableServerExt::STRUCTURED_SUBJECT,
        (const char*)" ",
        PortableServerExt::PUSH_EVENT };
    PortableServerExt::PublishDesc_var
    desc
        = psa->publish(scheme, channel,
        PortableServer::ObjectId(),
        CORBA::NameValuePairSeq());
    // 2. Get the StructuredProxyConsumer
    CORBA::Object_var obj
        = psa->the_subject_addr(desc);
    StructuredProxyPushConsumer_var consumer
        = StructuredProxyPushConsumer::_
        _narrow(proxy);

    // Push typed events interface
    for(;;) {
        consumer->
        push_structured_event(...);
        ...
    }
    ...
}
```

Typed Supplier to a Channel

This code example shows the connection/subscribe typed supplier to a channel in C++:

Typed push supplier using Notification service interface (basic_cpp/typedPushSupplier.C)

```
using namespace
CosTypedNotifyChannelAdmin;
int main(int argc, char** argv)
{
    // Get orb and poa environment
    CORBA::ORB_ptr orb
        = CORBA::ORB_init(argc, argv);
    CORBA::Object_var obj = orb->
        Resolve_initial_references(
            "RootPOA");

    PortableServer::POA_var poa =
    PortableServer::POA::_narrow(obj);
    // Get channel reference
    TypedEventChannel channel = ... ;
    // Connect to channel
    // 1. Get default admin
    TypedConsumerAdmin var admin =
        Channel->default_supplier_admin();
    // 2. Create a proxy
    CosNotifyChannelAdmin::ProxyID
    proxy_id;
    TypedProxyConsumer var proxy = admin->
        obtain_notification_push_consumer(
            "IDL:example.borland.com/"
            "TMN/TypedEvent:1.0", proxy_id);
    // 3. Get the <I> interface
    CORBA::Object_var obj
        = proxy->get_typed_consumer();
    TMN::TypedEvent var consumer
        = TMN::TypedEvent::_narrow(obj);
    proxy->connect_typed_push_supplier
    (NULL)
    // Push typed events interface
    for(;;) {
        consumer->attributeValueChange(...);
        ...
    }
    ...
}
```

Typed push using PSA(psa_cpp/typedPushSupplier.C)

```
int main(int argc, char** argv)
{
    // Get orb and psa environment
    CORBA::ORB_ptr orb
        = CORBA::ORB_init(argc, argv);
    CORBA::Object_var obj = orb->
        Resolve_initial_references(
            "RootPSA");
    PSA_var psa = PSA::_narrow(obj);

    // Get channel reference
    CORBA::Object_var channel = ... ;
    // Publish to channel
    // 1. Publish
    PortableServerExt::SubjectScheme scheme
    = { PortableServerExt::CHANNEL_ADDR,
        PortableServerExt::TYPED_SUBJECT,
        (const char*)"IDL:example.borland.com"
        "TMN/TypedEvent:1.0",
        PortableServerExt::PUSH_EVENT };
    PortableServerExt::PublishDesc var desc
        = psa->publish(scheme, channel,
        PortableServer::ObjectId(),
        CORBA::NameValuePairSeq());
    // 2. Get the <I> interface
    CORBA::Object_var obj
        = psa->the_subject_addr(desc);
    TMN::TypedEvent var consumer
        = TMN::TypedEvent::_narrow(obj);

    // Push typed events interface
    for(;;) {
        consumer->
        attributeValueChange(...);
        ...
    }
    ...
}
```

These examples illustrate that there is a noticeable difference between the code and procedure for making a connection for structured and typed supplier applications when using the Notification Service interface. More importantly, while using the PSA, the connection code and procedures are almost identical for both applications.

Note

All examples used in this chapter are condensed from shipped VisiNotify and PSA examples. These examples are located in the directories:

- <install_dir>/examples/vbroker/notify/basic_<cpp|java>
- <install_dir>/examples/vbroker/notify/psa_<cpp|Java>.

Subscribe a subject using PSA

The subscribe operation in PSA allows a consumer object to attach to a notification/event source for receiving (either push or pull) event messages. This is a very broad concept which can cover all possible publish/subscribe scenarios such as:

- Connecting to an OMG notification/event channel.
- Joining a multicast group and establish the external key to internal consumer id mapping.
- Connecting to an non-IIOP message oriented middle.

PSA supports these scenarios under one single programming model regardless of the low level transport mechanism and type of the channel/message format. In this release, PSA only supports subscribe to OMG notification/event channel (all four channel types). PSA subscribe operation is defined as:

```
SubscribeDesc subscribe(
    in SubjectScheme    the_subject_scheme,
    in Subject          the_subject,
    in PortableServer::ObjectId the_observer_id,
    in CORBA::NameValuePairSeq the_properties )
    raises( InvalidSubjectScheme,
            InvalidProperties,
            ChannelException );
```

When PSA is used on top of COS Notification, this operation performs all low-level operations of getting consumer admin, obtaining proxy suppliers and making the connection. For subscribing to a typed subject, the PSA also creates and manages the handler proxy object internally to support the `get_typed_consumer()` operation and only requires the application to supply the observer servant implementation that supports the application-specified typed <I> interface.

SubjectScheme

The first parameter to the `subscribe()` is `SubjectScheme` and is defined as:

```
struct SubjectScheme {
    SubjectAddressScheme  address_scheme;
    SubjectInterfaceScheme interface_scheme;
    SubjectInterfaceId   interface_id;
    SubjectDeliveryScheme delivery_scheme;
};
```

The `SubjectScheme` specifies what is the subject reference's address scheme, interface scheme, interface repository id (for typed channel only), and delivery scheme.

The `address_scheme` field specifies the subject reference. For example, an address can be specified, which can be used directly for push event or an address to only do subscribe. Currently, there are three values on this field for subscribing; `SUBSCRIBE_ADMIN_ADDR`, `CHANNEL_ADDR`, and `SUBJECT_ADDR`, which indicates that the subject reference to the `subscribe()` operation is a OMG Notification Consumer Admin, a OMG Notification Channel (or typed channel) or an event direct pushing address, respectively.

The three values for the `address_scheme` field allow the application to subscribe in the following manner:

- **SUBSCRIBE_ADMIN_ADDR** - The subject reference to `subscribe()` is an OMG Notification Consumer Admin reference, PSA simply calls `obtain_<...>_supplier()` on the admin to allocate a proxy on the admin and then calls `connect_<...>_consumer()` on the proxy. The consumer reference connected to the proxy is either null (for pull mode consumer) or a push consumer object reference created from this PSA with the `_observer_id` parameter. For typed channels, the `get_typed_consumer()` and `get_typed_supplier()` are automatically handled by PSA.
- **CHANNEL_ADDR** - The subject reference to `subscribe()` is an OMG Notification Channel (or typed channel). PSA simply calls `_get_default_consumer_admin()` on the channel to get the default admin and then handles it as a connection through this consumer admin reference.
- **SUBJECT_ADDR** - The subject reference to `subscribe()` is a direct event pushing address. For example, it could be a multicast IOR, or a typed `<I>` interface. For any other channel than typed, it is a proxy push consumer. PSA calls `_get_MyAdmin()/_get_MyChannel()/_get_default_consumer_admin()` and then handles it as a connection through consumer admin. For typed channels, this is already a push `<I>` interface. PSA looks into the reference for a consumer admin component (not currently supported) and handles it as a connection through consumer admin.

Additionally, applications need to specify `SubjectInterfaceScheme` and `SubjectDeliveryScheme`.

For `SubjectInterfaceScheme` the valid values are:

- **TYPED_SUBJECT** - Subject uses either multicast or OMG Typed Notification Channel.
- **UNTYPED_SUBJECT** - Subject uses OMG Untyped Notification Channel.
- **STRUCTURED_SUBJECT** - Subject uses OMG Structured Notification Channel.
- **SEQUENCE_SUBJECT** - Subject uses OMG Sequence Notification Channel.

For `SubjectDeliveryScheme` the valid values are:

- **PUSH_EVENT** - Subject uses either multicast or OMG Push Notification mode (any of the four OMG event types).
- **PULL_EVENT** - Subject uses OMG Pull Notification mode (any of the four OMG event types).

For connecting to a typed channel, the repository id of `<I>` interface must also be specified. This repository is used as the implicit event filter.

Subject Reference, Observer ID, and Properties to Subscribe()

The second and third parameters to `subscribe()` are the reference of the subject and the object id of a passive consumer object. The subject reference's interpretation is specified by the `SubjectScheme` as the first parameter to `subscribe()` and has been described above. The passive consumer object id specifies which consumer object, a received event, can be dispatched to.

There are two kind of consumer objects; *passive* and *active*. All push consumers are passive consumers and all pull consumers, except for typed consumer using `pull_and_dispatch()`, are active.

Passive consumers need to be subscribed with a valid object id and the consumer servant should be activated or able to be activated (such as, by servant manager) in the subscribing PSA (that is, the POA). Active consumers, on the other hand, do not need a valid object id to `subscribe()`. In fact, PSA ignores the actual object id parameter when `subscribe()` is called to subscribe an active consumer. Also, active consumers do not need to be activated or able to be activated.

Examples of Subscribe()

Example

This example shows how to connect to an untyped service through channel reference as a push consumer.

C++

```
PortableServerExt::SubjectScheme scheme = {
    PortableServerExt::CHANNEL_ADDR,
    PortableServerExt::UNTYPED_SUBJECT,
    (const char*)"",
    PortableServerExt::PUSH_EVENT };
PortableServerExt::SubscribeDesc_var desc psa->subscribe(
    scheme, channel, observer_oid,
    CORBA::NameValuePairSeq());
```

Java

```
// Java code to connect to an untyped service through
//channel reference as a push consumer
SubjectScheme scheme = new SubjectScheme(
    SubjectAddressScheme.CHANNEL_ADDR,
    SubjectInterfaceScheme.UNTYPED_SUBJECT,
    "",
    SubjectDeliveryScheme.PUSH_EVENT);
SubscribeDesc desc = psa.subscribe(scheme, channel,
observer_oid, null);
```

Example

This example shows how to connect to an untyped service through channel reference as a pull consumer.

C++

```
PortableServerExt::SubjectScheme scheme = {
    PortableServerExt::CHANNEL_ADDR,
    PortableServerExt::UNTYPED_SUBJECT,
    (const char*)"",
    PortableServerExt::PULL_EVENT };
PortableServerExt::SubscribeDesc_var desc =
    psa->subscribe(
    scheme, channel, PortableServer::ObjectId(),
    CORBA::NameValuePairSeq());
```

Java

```
// Java code to connect to an untyped service through
// channel reference as a push consumer
SubjectScheme scheme = new SubjectScheme(
    SubjectAddressScheme.CHANNEL_ADDR,
    SubjectInterfaceScheme.UNTYPED_SUBJECT,
    "",
    SubjectDeliveryScheme.PULL_EVENT);
SubscribeDesc desc = psa.subscribe(scheme, channel, null,
null);
```

Example

This example shows how to connect to an structured service through channel reference as a push consumer.

C++

```
PortableServerExt::SubjectScheme scheme = {
    PortableServerExt::CHANNEL_ADDR,
    PortableServerExt::STRUCTURED_SUBJECT,
    (const char*)"",
    PortableServerExt::PUSH_EVENT };
PortableServerExt::SubscribeDesc_var desc = psa->subscribe(
    scheme, channel, observer_oid,
    CORBA::NameValuePairSeq());
```

Java

```
// Java code to connect to a structured service through
// channel reference as a push consumer
SubjectScheme scheme = new SubjectScheme(
    SubjectAddressScheme.CHANNEL_ADDR,
    SubjectInterfaceScheme.STRUCTURED_SUBJECT,
    "",
    SubjectDeliveryScheme.PUSH_EVENT);
SubscribeDesc desc = psa.subscribe(scheme, channel,
observer_oid, null);
```

Example

This example shows how to connect to an structured service through channel reference as a pull consumer.

C++

```
PortableServerExt::SubjectScheme scheme = {
    PortableServerExt::CHANNEL_ADDR,
    PortableServerExt::STRUCTURED_SUBJECT,
    (const char*)"",
    PortableServerExt::PULL_EVENT };
PortableServerExt::SubscribeDesc_var desc = psa->
subscribe(
    scheme, channel, PortableServer::ObjectId(),
    CORBA::NameValuePairSeq());
```

Java

```
// Java code to connect to a structured service through
// channel reference as a pull consumer
SubjectScheme scheme = new SubjectScheme(
    SubjectAddressScheme.CHANNEL_ADDR,
```

```

        SubjectInterfaceScheme.STRUCTURED_SUBJECT,
        "",
        SubjectDeliveryScheme.PULL_EVENT);
    SubscribeDesc desc = psa.subscribe(scheme, channel, null,
    null);

```

Example

This example shows how to connect to a typed service through channel reference as a push consumer.

C++

```

PortableServerExt::SubjectScheme scheme = {
    PortableServerExt::CHANNEL_ADDR,
    PortableServerExt::TYPED_SUBJECT,
    (const char*)"IDL:example.borland.com/TMN/
TypedEvent:1.0",
    PortableServerExt::PUSH_EVENT };
PortableServerExt::SubscribeDesc_var desc psa->subscribe(
    scheme, channel, observer_oid,
    CORBA::NameValuePairSeq());

```

Java

```

// Java code to connect to an typed service through
// channel reference as a push consumer
SubjectScheme scheme = new SubjectScheme(
    SubjectAddressScheme.CHANNEL_ADDR,
    SubjectInterfaceScheme.TYPED_SUBJECT,
    "IDL:example.borland.com/TMN/TypedEvent:1.0",
    SubjectDeliveryScheme.PUSH_EVENT);
SubscribeDesc desc = psa.subscribe(scheme, channel,
observer_oid, null);

```

Example

This example shows how to connect to a typed service through channel reference as a pull consumer.

C++

```

PortableServerExt::SubjectScheme scheme = {
    PortableServerExt::CHANNEL_ADDR,
    PortableServerExt::TYPED_SUBJECT,
    (const char*)"IDL:example.borland.com/TMN/
TypedEvent:1.0",
    PortableServerExt::PULL_EVENT };
PortableServerExt::SubscribeDesc_var desc = psa->
subscribe(
    scheme, channel, PortableServer::ObjectId(),
    CORBA::NameValuePairSeq());

```

Java

```

// Java code to connect to a typed service through channel
// reference as a pull consumer
SubjectScheme scheme = new SubjectScheme(
    SubjectAddressScheme.CHANNEL_ADDR,
    SubjectInterfaceScheme.TYPED_SUBJECT,
    "IDL:example.borland.com/TMN/TypedEvent:1.0",
    SubjectDeliveryScheme.PULL_EVENT);

```

```
SubscribeDesc desc = psa.subscribe(scheme, channel, null,
null);
```

Subscribe Descriptor and the `_subject_addr()`

```
Object the_subject_addr(in PublishSubscribeDesc the_desc);
```

After a successful `subscribe()` operation, a subscribe descriptor is returned which encapsulates all information and mapping to make other operations on the subscription, such as `unsubscribe()`, `suspend()`, `resume()`. Also, this descriptor can be saved into a persistent repository and can be later loaded into the same consumer process session or a new restarted consumer process session. However, the format of this descriptor is internal to the given ORB which created it. Therefore, like the object key, a subscribe descriptor must be used by the same ORB that created it.

For a subscribed push consumer, the channel will actively push events to the consumer servants activated with the specified observer ids. After a successful `subscribe()` operation, applications with untyped/structured/sequence pull consumers can get their pull addresses (proxy pull suppliers) from PSA's `the_subject_addr()` along with the subscribe descriptor. The subscribe descriptor was returned from the PSA `subscribe()` method, as a parameter.

Example

This example shows how to get a proxy untyped/structured/sequence pull supplier from subscribe descriptor:

C++

```
CORBA::Object_var proxy_pull_supplier = psa->the_subject_addr(the_desc);
```

Java

```
org.omg.CORBA.Object proxy_pull_supplier = psa.the_subject_addr(the_desc);
```

After narrowing this reference to a specified proxy, the application can pull the event from the supplier with `pull()/try_pull()/pull_structured_event()` and `try_pull_structured_event()`.

Typed pull consumer is discussed in ["Support of Typed Pulling"](#).

Unsubscribe a Subject

PSA `unsubscribe()` disconnects the consumer from a connected channel and cleans up any local resource, if necessary (for multicast case, it removes the subject key to observer id mapping). If the consumer is connected to an untyped or a typed channel, the PSA invokes `disconnect_push/pull_supplier()` to the proxy.

If the consumer is connected to a structured or sequence channel, the PSA invokes `disconnect_structured_push/pull_supplier()` or `disconnect_sequence_push/pull_supplier()`, respectively.

This code example shows how to unsubscribe a subject:

```
void unsubscribe(in SubscribeDesc the_subscribe_desc)
```


Publish a Subject

Publish in the PSA model is defined as an operation, which attaches a supplier object or source to a notification/event channel that provides (either push or pull) event messages.

This is a very broad concept that covers all possible publish/subscribe scenarios such as:

- Connections to a OMG notification/event channel.
- Attachments to a multicast channel. However, native UDP multicast, `publish()` does nothing but only creates and returns a wrapper publish descriptor.
- Connections to a non-IIOP message oriented middle.

PSA supports many publish/subscribe scenarios under one single programming model regardless of the low level transport mechanism and the type of the channel/message format. Currently, the PSA only supports connect to OMG notification/event channel (all four channel types). The PSA operation to subscribe a consumer (such as, observer) to a given subject is:

```
PublishDesc publish(
    in SubjectScheme the_subject_scheme,
    in Subject the_subject,
    in PortableServer::ObjectId the_provider_id,
    in CORBA::NameValuePairSeq the_properties )
    raises( InvalidSubjectScheme,
           InvalidProperties,
           ChannelException );
```

When the publish operation is used on top of the COS Notification, it performs all the operations of getting supplier admin, obtaining proxy consumers, and connecting to them. Additionally, when the publish operation is used with a typed subject, PSA also calls `get_typed_consumer()` on the proxy consumers to get the <I> reference.

SubjectScheme

SubjectScheme is the first parameter to `publish()` and is defined as:

```
struct SubjectScheme {
    SubjectAddressScheme address_scheme;
    SubjectInterfaceScheme interface_scheme;
    SubjectInterfaceId interface_id;
    SubjectDeliveryScheme delivery_scheme;
};
```

The SubjectScheme parameters specify the subject reference's address scheme, interface scheme, interface repository id (for typed channel only) and delivery scheme.

The `address_scheme` field specifies the subject reference, such as whether it is an address that can directly push events or an address that can only subscribe. Currently, VisiBroker supports three valid values for this field, which indicates that the subject reference to the `publish()` operation is an OMG notification consumer admin, an OMG notification channel (or typed channel) or an event direct pushing address, respectively.

The three address schemes supported for subscribe are:

- **PUBLISH_ADMIN_ADDR** - The subject reference to `publish()` is an OMG notification supplier admin reference. PSA simply calls `obtain_<...>_consumer()` on the admin reference to allocate a proxy on the admin and then calls `connect_<...>_supplier()` on the proxy. The supplier reference connected to the proxy is either null (for push supplier) or a pull supplier reference created from this PSA with `provider_id` parameter. For typed channels, `get_typed_consumer()` operation and `get_typed_supplier()` implementation are automatically handled by PSA.
- **CHANNEL_ADDR** - The subject reference to `publish()` is an OMG notification channel (or typed channel). PSA simply calls `_get_default_supplier_admin()` on the channel to get the default supplier admin. It handles it as connect through this consumer admin reference.
- **SUBJECT_ADDR** - The subject reference to `subscribe()` is a direct event pushing address. For example, it could be a multicast IOR or a typed `<I>` interface. This is a trivial case. PSA simply wraps a publisher descriptor and returns.

Your application will also need to specify `SubjectInterfaceScheme` and `SubjectDeliveryScheme`.

The valid `SubjectInterfaceScheme` values are:

- **TYPED_SUBJECT** - Subject uses either multicast or OMG typed notification channel.
- **UNTYPED_SUBJECT** - Subject uses OMG untyped notification channel.
- **STRUCTURED_SUBJECT** - Subject uses OMG structured notification channel.
- **SEQUENCE_SUBJECT** - Subject uses OMG sequence notification channel.

The valid `SubjectDeliveryScheme` values are:

- **PUSH_EVENT** - Subject uses either multicast or OMG push notification mode (any of the four OMG event types).
- **PULL_EVENT** - Subject uses OMG pull notification mode (any of the four OMG event types).

To connect to a typed channel, you must also specify the repository id of `<I>` interface. This repository is actually used for narrowing a typed push reference returned from `get_typed_consumer()` into `<I>` stub, which is also used as a filtering key for both push and pull events.

Subject Reference, Provider ID, and Properties to Publish()

The subject reference's interpretation is specified by the `SubjectScheme` as the first parameter to `publish()` operation. The second and third parameters to `publish()` are the reference of the subject and the object id of a passive supplier (such as a supplier) object. The passive supplier object id specifies which supplier object should be used by PSA to pull events for publishing.

There are two kind of supplier objects; passive and active. All push suppliers are active while all pull suppliers are passive.

Passive suppliers need to be published with a valid object id and the publish servant should be activated or able to be activated (for example, by the

servant manager) in the publishing PSA (such as POA). Active publishes, on the other hand, do not need a valid object id to call `publish()`. In fact, PSA ignores the actual object id parameter when `publish()` is called to publish an active supplier. Also, active suppliers do not need to be activated or able to be activated. Active suppliers do not even need servant implementations.

Note

Active suppliers do not even need servant implementations.

Examples of publish()

Example

This example shows how to connect to an untyped service through channel reference as a push supplier using namespace `PortableServerExt`.

C++

```
PortableServerExt::SubjectScheme scheme = {
    PortableServerExt::CHANNEL_ADDR,
    PortableServerExt::UNTYPED_SUBJECT,
    PortableServerExt::(const char*)"",
    PortableServerExt::PUSH_EVENT };
PortableServerExt::PublishDesc_var desc psa->publish(
    Scheme, channel, PortableServer::ObjectId(),
    CORBA::NameValuePairSeq());
```

Java

```
SubjectScheme scheme = new SubjectScheme(
    SubjectAddressScheme.CHANNEL_ADDR,
    SubjectInterfaceScheme.UNTYPED_SUBJECT,
    "",
    SubjectDeliveryScheme.PUSH_EVENT);
Byte[] desc = psa.publish(scheme, channel, null, null);
```

As specified by the scheme, the given subject reference is actually a COS Notification Service channel reference. PSA internally performs the following operations:

- Gets the default supplier admin from this channel.
- Obtains an untyped proxy push consumer from the admin.
- Encapsulates the proxy push consumer's reference inside the returned subscribe descriptor.

Example

This example shows how to connect to an untyped service through a channel reference as a pull supplier using namespace `PortableServerExt`.

C++

```
PortableServerExt::SubjectScheme scheme = {
    PortableServerExt::CHANNEL_ADDR,
    PortableServerExt::UNTYPED_SUBJECT,
    (const char*)"",
    PortableServerExt::PULL_EVENT };
PortableServerExt::PublishDesc_var desc = psa->publish(
    scheme, channel, provider_id,
    CORBA::NameValuePairSeq());
```

Java

```

SubjectScheme scheme = new SubjectScheme(
    SubjectAddressScheme.CHANNEL_ADDR,
    SubjectInterfaceScheme.UNTYPED_SUBJECT,
    "",
    SubjectDeliveryScheme.PULL_EVENT);
PublishDesc desc = psa.publish(scheme, channel,
    provider_id, null);

```

As specified by the scheme, the given subject reference is actually a COS Notification Service channel reference. PSA performs following operations:

- Gets the default supplier admin from this channel.
- Obtains an untyped proxy pull consumer from the admin.
- Creates an pull supplier object reference from PSA with the provider_id parameter as object id.
- Connects to the proxy with this pull supplier reference.
- Encapsulates the proxy pull consumer's reference inside the returned subscribe descriptor.

Example

This example shows how to connect to a structured service through a channel reference as a push supplier using namespace PortableServerExt.

C++

```

SubjectScheme scheme = {
    PortableServerExt::SubjectScheme scheme = {
        PortableServerExt::CHANNEL_ADDR,
        PortableServerExt::STRUCTURED_SUBJECT,
        (const char*)"",
        PortableServerExt::PUSH_EVENT
    };
PortableServerExt::PublishDesc_var desc = psa->publish(
    scheme, channel, PortableServer::ObjectId(),
    CORBA::NameValuePairSeq());

```

Java

```

SubjectScheme scheme = new SubjectScheme(
    SubjectAddressScheme.CHANNEL_ADDR,
    SubjectInterfaceScheme.STRUCTURED_SUBJECT,
    "",
    SubjectDeliveryScheme.PUSH_EVENT);
PublishDesc desc = psa.publish(scheme, channel, null,
    null);

```

As specified by the scheme, the given subject reference is actually a COS Notification Service channel reference. PSA performs the following operations:

- Gets the default supplier admin from this channel.
- Obtains an structured proxy push consumer from the admin.
- Encapsulates the proxy push consumer's reference inside the returned subscribe descriptor.

Example

This example shows how C++ code connects to a structured service through channel reference as a push supplier using namespace PortableServerExt.

C++

```
PortableServerExt::SubjectScheme scheme = {
    PortableServerExt::CHANNEL_ADDR,
    PortableServerExt::STRUCTURED_SUBJECT,
    (const char*)"",
    PortableServerExt::PULL_EVENT };
PortableServerExt::PublishDesc_var desc = psa->publish(
    scheme, channel, provider_id,
    CORBA::NameValuePairSeq());
```

Java

```
SubjectScheme scheme = new SubjectScheme(
    SubjectAddressScheme.CHANNEL_ADDR,
    SubjectInterfaceScheme.STRUCTURED_SUBJECT,
    "",
    SubjectDeliveryScheme.PULL_EVENT);
Byte[] desc = psa.publish(scheme, channel, provider_id,
    null);
```

As specified by the scheme, the given subject reference is actually a COS Notification Service channel reference. PSA performs the following operations:

- Gets the default supplier admin from this channel.
- Obtains a structured proxy pull consumer from the admin.
- Creates a pull supplier object reference from the PSA with the provider_id parameter as object id.
- Connects to the proxy with this pull supplier reference.
- Encapsulates the proxy pull consumer's reference inside the returned subscribe descriptor.

Example

This example shows how to connect to typed services through a channel reference as a push supplier using namespace PortableServerExt.

C++

```
PortableServerExt::SubjectScheme scheme = {
    PortableServerExt::CHANNEL_ADDR,
    PortableServerExt::TYPED_SUBJECT,
    (const char*)"IDL:example.borland.com/TMN/
TypedEvent:1.0",
    PortableServerExt::PUSH_EVENT };
PortableServerExt::PublishDesc_var desc = psa->publish(
    scheme, channel, PortableServer::ObjectId(),
    CORBA::NameValuePairSeq());
```

Java

```
SubjectScheme scheme = new SubjectScheme(
    SubjectAddressScheme.CHANNEL_ADDR,
    SubjectInterfaceScheme.TYPED_SUBJECT,
    "IDL:example.borland.com/TMN/TypedEvent:1.0",
```

```

    SubjectDeliveryScheme.PUSH_EVENT);
    PublishDesc desc = psa.publish(scheme, channel, null,
    null);

```

As specified by the scheme, the given subject reference is actually a COS Notification Service channel reference. PSA performs the following operations:

- Gets the default supplier admin from this channel.
- Obtains a typed proxy pull consumer from the admin.
- Calls `get_typed_consumer()` on the proxy reference to get the <I> interface.
- Connects to the proxy with this pull supplier reference.
- Encapsulates the proxy push consumer's reference and the <I> interface reference inside the returned subscribe descriptor.

Example

This example shows how to connect to typed services through a channel reference as a pull supplier using namespace `PortableServerExt`.

C++

```

PortableServerExt::SubjectScheme scheme = {
    PortableServerExt::CHANNEL_ADDR,
    PortableServerExt::TYPED_SUBJECT,
    (const char*)"IDL:example.borland.com/TMN/
    TypedEvent:1.0",
    PortableServerExt::PULL_EVENT };
PortableServerExt::PublishDesc_var desc = psa->publish(
    scheme, channel, provider_id,
    CORBA::NameValuePairSeq());

```

Java

```

SubjectScheme scheme = new SubjectScheme(
    SubjectAddressScheme.CHANNEL_ADDR,
    SubjectInterfaceScheme.TYPED_SUBJECT,
    "IDL:example.borland.com/TMN/TypedEvent:1.0"
    SubjectDeliveryScheme.PULL_EVENT);
PublishDesc desc = psa.publish(scheme, channel,
    provider_id, null);

```

As specified by the scheme, the given subject reference is actually a COS Notification Service channel reference. PSA performs the following operations:

- Gets the default supplier admin from this channel.
- Obtains a typed proxy pull consumer from the admin.
- Creates a typed pull supplier object reference from this PSA with the `provider_id` parameter as object id.
- Creates an internal proxy supplier implementation to return the reference from the `get_typed_supplier()` method.
- Creates a reference for this proxy implementation.
- Connects to the proxy consumer with this proxy implementation's reference.
- Encapsulates the proxy pull consumer's reference inside the returned subscribe descriptor.

Publish Descriptor and the `_subject_addr()`

```
Object the_subject_addr(in PublishSubscribeDesc the_desc);
```

After a successful `publish()` operation, a publish descriptor is returned. It contains information/mapping to implement other `publish()` operations, such as `unpublish()`, `suspend()`, and `resume()`. This descriptor can be saved into a persistent repository and reloaded into the same supplier process session or a restart of a new supplier session. However, the format of this descriptor is internal to the ORB that creates it. Therefore, like the object key, a subscribe descriptor should only be used by the same ORB.

For a published passive supplier (such as pull), the channel will pull events from the supplier servant that is activated with the specified provider id.

After a successful `publish()` operation, applications with active (push) suppliers can get push addresses for the proxy push consumers or for typed channel with the `<I>` interface references from PSA's `the_subject_addr()` using the publish descriptor. The publish descriptor is returned from the PSA `publish()` method, as a parameter.

Example

This example shows how to get a proxy untyped/structured/sequence pull supplier from a subscribe descriptor:

C++

```
CORBA::Object_var proxy_pull_supplier =
    psa->the_subject_addr(the_desc);
```

Java

```
org.omg.CORBA.Object proxy_pull_supplier =
    psa.the_subject_addr(the_desc);
```

After narrowing this reference to a specified proxy or `<I>` interface stubs, applications can push events into the connected channels.

Note

Typed pull supplier is discussed in ["Support of Typed Pulling"](#).

Unpublish a subject

```
void unpublish(in PublishDesc the_publish_desc)
    raises( InvalidPublishDesc,
           ChannelException );
```

The PSA `unpublish()` disconnects the supplier from a connected channel and cleans up any local resource. If the supplier is connected to an untyped and typed channel, the PSA invokes `disconnect_push/pull_consumer()` to the proxy. If it is connected to a structured or sequence channel, the PSA invokes `disconnect_structured_push/pull_consumer()` or `disconnect_sequence_push/pull_consumer()`, respectively.

Support of Typed Pulling

One major problem of the Notification Service is dealing with typed pulling. The programming model defined by OMG makes it difficult to use. It requires a pull consumer to use a mangled Pull<I> interface and a pull supplier to implement a Pull<I> servant. Changing from typed push <I> consumer/supplier to typed Pull<I> consumer/supplier requires a substantial code change and refinement to the application designs. In addition, the Pull<I> interfaces are operation specific. For example, pulling a typed event from a channel requires the pull consumer to be selective on the operation associated with the event. This does not parallel either typed push consumer nor structured pull consumer. In typed push consumer, the pushing consumers do not specify which operation should be associated with the next arrived events. In structured event case, a structured pull consumer is not selective on the `type_name` (a counterpart of operation in typed event) of next returned event.

The PSA resolves all issues (mentioned above). The PSA has the following unique advantages:

- Like the typed push consumers, the typed pull consumers implement original <I> interfaces instead of the mangled Pull<I> interfaces. This makes the PSA's model intuitive, easy to use and can use existing tools (such as a normal IDL pre-compiler) to generate type safe code. Pull consumer applications developed with PSA are always easier to understand than using the Pull<I> interface.
- Like the typed push suppliers, the typed pull suppliers use original <I> interface stubs instead of implementing a type specific Pull<I> servant.
- The typed pull consumers are not selective on the operations for returned events. This is consistent with typed push consumer and structured pull consumer.
- The PSA supports active typed pull consumer and passive typed pull consumer to meet different application requirements.

The PSA supports three kinds of typed pulling implementation:

- Passive typed pull consumer
- Active typed pull consumer
- Typed pull supplier

Passive typed pull consumer

At the code level, the passive typed pull consumer is similar to a typed push consumer. Actually, changing a typed push consumer application into a passive typed pull consumer application requires nearly no code change. To create a passive typed consumer, a consumer object still needs to be available on the POA and requires it to be subscribed to the subject with associated object id. The only difference between passive typed pull consumer and typed push consumer is:

- For a normal typed push consumer: the typed events are asynchronously pushed into the consumer process from the channel, and then, dispatched to the push consumer object.
- For a passive typed pull consumer: the typed events are synchronously pulled back to the consumer server from the channel by the consumer application and dispatched to the passive typed consumer object by the PSA as if it is an active typed push.

Therefore, to subscribe a passive typed pull consumer, a valid object id is needed in PSA `subscribe()` operation. After the `subscribe()`, application uses PSA's `pull_and_dispatch()` method to pull typed event from channel and dispatches into the passive consumer. Passive typed pull consumer is designed for applications that want to use passive consumer along with the control of incoming events from consumer applications.

C++ passive typed pull consumer example

This example is of the passive typed pull consumer.

```
// (examples/vbroker/notify/psa_cpp/typedPullConsumer2.C)
// Implement a passive observer
# include "TMNEvents_s.hh"
class TMNTypedEventObserver : public POA_TMN::TypedEvent
{
    ...
    public: void attributeValueChange(...) { ... }
    ...
    void qosAlarm(...) { ... }
};
int main(int argc, char** argv)
{
    // construct the observer implementation
    TMNTypedEventObserver* observer = new TMNTypedEventObserver;

    // activate it on PSA
    psa->activate_object (observer);
    PortableServer::ObjectId_var oid = psa->servant_to_id (observer);

    // activate the PSA
    PortableServer::POAManager_var poa_manager =
        psa->the_POAManager ();
    poa_manager->activate ();
    // subscribe to the channel as typed pull consumer
    PortableServerExt::SubjectScheme scheme = {
        PortableServerExt::CHANNEL_ADDR,
        PortableServerExt::TYPED_SUBJECT,
        (const char*)"IDL::example.borland.com/TMN/TypedEvent:1.0",
        PortableServerExt::PULL_EVENT };
    PortableServerExt::SubscribeDesc_var desc =
        psa->subscribe (scheme, channel, oid.in(),
            CORBA::NameValuePairSeq());
    // pull and visit max 100 events using block mode.
    psa->pull_and_dispatch(desc, 100, (CORBA::Boolean)1, (CORBA::Boolean)0);
    ...
}
```

Compared to a pushed consumer application, the only difference is how the application gets the typed event. Passive typed consumers require explicit pull (using `pull_and_dispatch()`) by the application using PSA, instead of blocking on the ORB `run()` and waiting for the channel to send events asynchronously.

The logic and procedure of a passive typed pull consumer can be summarized as:

- Write a consumer servant implementation derived from a POA skeleton.
- Activate the servant on a POA and get its object id.
- Subscribe to the channel with `SubjectDeliveryScheme` to be `PULL_EVENT`.

- Call `pull_and_dispatch()` on the subscribe PSA with the subscribe descriptor as parameters.
- The pull backed events will be dispatched to the specified consumer servant asynchronously.

Active typed pull consumer

For active typed pull consumers, the consumer servant is not registered to a POA, nor does a POA need to be activated. The replied typed events are directly visited (think about visitor pattern) by a visitor instance derived from `POA<I>` servant skeleton. The visitor instance is directly specified on each call of `pull_and_visit()` and does not need to associate with or be registered on any POA. An active typed pull consumer is more like conventional typed pulling except it implements `POA<I>` to backward visit the event instead of the `Pull<I>` stub.

C++ active typed pull consumer example

This example is of the active typed pull consumer.

```
// (examples/vbe/notify/psa_cpp/typedPullConsumer1.C)
// Implement an active visitor
#include "TMNEvents_s.hh"
class TMNTypedEventVisitor : public POA_TMN::TypedEvent
{
    ...
public: void attributeValueChange(...) { ... }
    ...
void qosAlarm(...) { ... }
};
int main(int argc, char** argv)
{
    ...
// subscribe to the channel as typed pull consumer
PortableServerExt::SubjectScheme scheme = {
    PortableServerExt::CHANNEL_ADDR,
    PortableServerExt::TYPED_SUBJECT,
    (const char*)"IDL::example.borland.com/TMN/TypedEvent:1.0",
    PortableServerExt::PULL_EVENT };
PortableServerExt::SubscribeDesc var desc = psa->subscribe(
    scheme, channel, PortableServer::ObjectId(), CORBA::NameValuePairSeq());
// create a visitor instance
TMNTypedEventVisitor visitor;
// pull and visit max 100 events using block mode.
psa->pull_and_visit(desc, 100, (CORBA::Boolean)1, &visitor);
    ...
}
```

Java active typed pull consumer example

```
// (examples/vbe/notify/psa_java/TypedPullConsumer1.java)
import com.inprise.vbroker.PortableServerExt.*;
// Implement an active visitor
class TMNTypedEventVisitor extends TMN.TypedEventPOA {
{
    public void attributeValueChange(...) { ... }
    ...
    public void qosAlarm(...) { ... }
};
public class TypedPullConsumer1 {
```

```

public static void main(String[] args) {
    ...
    // subscribe to the channel as typed pull consumer
    SubjectScheme scheme = new SubjectScheme(
        SubjectAddressScheme.CHANNEL_ADDR,
        SubjectInterfaceScheme.TYPED_SUBJECT,
        "IDL::example.borland.com/TMN/TypedEvent:1.0",
        SubjectDeliveryScheme.PULL_EVENT );
    SubscribeDesc desc = psa.subscribe(scheme, channel, null, null);
    // create a visitor instance
    TMNTypedEventVisitor visitor = new TMNTypedEventVisitor();
    // pull and visit max 100 events using block mode.
    psa.pull_and_visit(desc, 100, true, visitor);
}
}

```

The logic and procedure of an active typed pull consumer can be summarized as:

- Write a visitor (servant) implementation derived from POA skeleton.
- Subscribe to the channel with SubjectDeliveryScheme to be PULL_EVENT.
- Call pull_and_visit() on the subscribe PSA with the subscribe descriptor and a visitor instance as parameters.
- The pull backed events will be invoked on the specified visitor synchronously.

Typed pull supplier

The PSA supports typed pull supplier using the “piggybacked reflective callback” technology. The reflective callback allows pull supplier to be pulled and still issue events in the same <I> interface originally defined for push mode.

Simple reflective callback without piggyback works as follows:

- A pull supplier implements, instantiates, and activates a predefined typed unspecified callback handler, for example, the TypedCallback::PullEvent handler that only has one single operation, such as, the pull_typed_event(). The operation has an event receiver object reference as input parameter.
- When publishing a pull supplier, the reference of this callback handler is connected to channel.

Here are some characteristics when a channel pulls the supplier:

- The channel prepares an event receive object and gets its reference.
- The channel callbacks pull supplier's TypedCallback::PullEvent handler's pull_typed_event() operation with the event receiver reference.
- The pull supplier narrows the event receive reference to <I> interface. It directly invokes the operation defined on the <I> interface to send specific events to typed channel.
- The channel gets the event from the event receiver and supplies it to the consumers.

The advantage of simple reflective callback is that it does not require special support on pull supplier side ORB. The disadvantage is that each pull operation requires two remote round trips. The first round trip requires the callback from channel to supplier. The second round trip requires the callback from supplier to the event receiver.

The PSA and VisiNotify support and implement piggybacked reflective callback. Piggybacked reflective callback is a variation of a simple reflective callback with the following mechanism:

- The PSA creates an internal agent object (resides in a separate internal singleton POA) which supports `pull_typed_event()` method without input parameters.
- A pull supplier implements, instantiates, and activates the predefined application interface independent `TypedCallback::PullEvent` handler.
- When application publishes a pull supplier, a callback reference that points to the ORB internal agent and also encapsulates the callback handler reference is connected to channel. The application handler is not actually connected to channel.
- The channel callback to the agent's `pull_typed_event()` method has no input parameter.
- The agent resolves the real handler's reference from the object id and creates a local event receiver.
- The agent makes a local call on the handler's `pull_typed_event()` with this local event receiver reference as input parameter.
- An application can narrow this local event receiver reference to `<I>` and issue a typed event locally.
- An agent can unpack the event from the local event receiver and send it back as a reply from the channel's `pull_typed_event()` call.

The piggybacked reflective callback is transparent to applications. For example, the application code is independent from simple or piggybacked reflective callback. Piggybacked reflective callback needs only one round trip for each pull. However, piggybacked reflective callback requires pull supplier side ORB to support. VisiBroker PSA supports piggybacked reflective callback, and VisiNotify only uses piggybacked reflective callback for reasons of efficiency.

C++ typed pull supplier example

This example is of the typed pull supplier.

```
// (examples/vbroker/notify/psa_cpp/typedPullSupplier.C)
// implement the TypedCallback::PullEvent handler,
// with piggybacked double callback, this handler is
// called back by local PSA instead of by remote proxy
// pull consumer. Therefore, the event receiver is also
// a local object.
# include <TypedCallback_s.hh>
# include "TMNEvents_c.hh"
class PullEventImpl : public POA_TypedCallback::PullEvent,
    public virtual PortableServer::RefCountServantBase
{
public:
// on typed pulling
void pull_typed_event(
    CORBA::Object_ptr event_receiver,
    CORBA::Boolean block)
{
// narrow to typed stub
TMN::TypedEvent_ptr stub
    = TMN::TypedEvent::_narrow(event_receiver);
// reflect the callback to issue an
// attributeValueChange event
```

```

    stub->attributeValueChange(...);
}
};
...
// create a supplier handler servant to activate it on// the PSA
PullEventImpl* supplier = new PullEventImpl;
psa->activate_object (handler);
PortableServer::ObjectId_var oid = psa->servant_to_id(supplier);
// publish to the channel as typed pull supplier with the
// handler_id but the real <I> interface repository id.
PortableServerExt::SubjectScheme scheme = {
    PortableServerExt::CHANNEL_ADDR,
    PortableServerExt::TYPED_SUBJECT,
    (const char*)"IDL::example.borland.com/TMN/TypedEvent:1.0",
    PortableServerExt::PULL_EVENT };
PortableServerExt::SubscribeDesc_var desc = psa->publish(
    scheme, channel, oid.in(), CORBA::NameValuePairSeq());
// activate the PSA and wait for pulling.
psa->the_POAManager()->activate();
orb->run();

```

Java typed pull supplier example

```

// (examples/vbe/notify/psa_java/TypedPullSupplier.java)
import com.inprise.vbroker.PortableServerExt.*;
// Implement the TypedCallback::PullEvent handler,
// with piggybacked double callback, this handler is
// called back by local PSA instead of by remote proxy
// pull consumer. Therefore, the event receiver is also a
//local object.
class TypedPullSupplierImpl
    extends com.borland.vbroker.TypedCallback.PullEventPOA {
    ...
    public void pull_typed_event(
        org.omg.CORBA.Object event_receiver,
        Boolean block) {
        // narrow to typed stub
        TMN.TypedEvent stub = TMN.TypedEventHelper.narrow(event_receiver);
        // reflect the callback to issue an attributeValueChange event
        stub.attributeValueChange(...);
    }
}
public class typedPullSupplier {
    ...
    public static void main(String[] args) {
        ...
        // create a supplier handler servant to activate it on the PSA
        TypedPullSupplierImpl supplier = new TypedPullSupplierImpl ();

psa.activate_object (supplier);

        byte [] oid = psa.servant_to_id (supplier);
        // publish to the channel as typed pull supplier with the oid
        // but the real <I> interface repository id.
        SubjectScheme scheme = new SubjectScheme(
            SubjectAddressScheme.CHANNEL_ADDR,
            SubjectInterfaceScheme.TYPED_SUBJECT,
            "IDL::example.borland.com/TMN/TypedEvent:1.0",
            SubjectDeliveryScheme.PULL_EVENT);
    }
}

```

```

SubscribeDesc desc = psa.publish(scheme, channel, oid, null);
// activate the PSA and wait for pulling.
psa.the_POAManager().activate();
orb.run();
}
}

```

The logic and procedure of a typed pull supplier can be summarized as:

- Write a `TypedCallback::PullEvent` supplier servant implementation from POA skeleton. The `pull_typed_event()` operation of this servant uses reflective callback to generate typed event using the original IDL interface stub.
- Activate the `PullEvent` servant on a POA and get its object id.
- Publish this callback to the channel with `SubjectDeliveryScheme` to be `PULL_EVENT` and the object id as `publish()` parameters.
- Active the POA to handle pull requests.

Additional topics and summary

This section contains miscellaneous information pertaining to the PSA.

ChannelException

Most PSA operations, with the exception of the `the_subject_addr()` and `the_proxy_addr()`, can raise `PortableServerExt::ChannelException`. This exception has a string member that is the repository of low level CORBA User exception. For example, when calling `suspend()` twice while using a given push consumer subscribe describer as parameter, you will get a `ChannelException` with its `repository_id` member as being `IDL:omg.org/CosNotifyChannelAdmin/ConnectionAlreadyInactive`.

The intention of not declaring a PSA operation to raise Notification Service exception is to have the PSA framework generic. Although the current implementation of the PSA works in conjunction with OMG Notification Service or Typed Notification Service, it is straightforward and extends the support to cover other publish/subscribe infrastructure such as multicast.

Setting Notification Service QoS in PSA

One approach for setting a QoS policy is to directly get the proxy reference. After using `subscribe/publish` operation using the `_proxy_addr()` method, change the policy by using `set_qos()` on the proxy reference.

Another possible approach for setting a QoS policy on a connected proxy within a PSA application is using property parameters of `subscribe()` and `publish()`. This approach is not implemented in `VisiBroker`.

PSA Summary

This list summarizes PSA's concepts and features:

- The PSA presents an intuitive high level object abstraction for `publish/subscribe` systems and shield applications from low level objects such as connections, admins, and proxies.
- The PSA supports `publish/subscribe` as a first-class subject and provides a high level programmatic model very similar to the POA model. Using PSA

to develop CORBA publish/subscribe applications is similar to developing POA based client/server applications.

- The PSA de-couples orthogonal objects thereby allowing applications to change objects or logic implementations, independently. For example, changing a typed consumer from push to pull requires no change to the message receiving code but requires only a flag change on subscribe. This kind of change would be a major engagement without PSA.
- The PSA lets applications use typed event pulling by using the same IDL <I> interface originally defined for typed event pushing rather than a cumbersome error prone mangled Pull<I> interface.
- Typed event pulling model under PSA/VisiNotify is symmetric to structured pulling as well as other event pull models.
- The PSA automatically handles `get_typed_consumer()` / `get_typed_supplier()` and the <I> interface to proxy mapping. This largely simplifies application code of using typed event/notification service. Typed notification applications only need to implement and install the <I> interfaces observers.
- Although the PSA is a high level programming model, it preserves and allows applications to access low level features defined in OMG Notification Service, such as querying and modifying QoS.
- With a high level abstraction, the PSA does not assume the underlying message middleware is OMG Notification Service. The same PSA programming model can transparently support various multicast transports and non-OMG message middleware.

Setting the Quality of Service and Filters

This chapter discusses how to set up the notification channel using event types and configuring with Filters and QoS properties.

Properties of the Quality of Service (QoS)

The policies set with QoS allow the application to dynamically adjust the service parameters of the channel during runtime. VisiNotify specifies its own QoS policies as well as supports a subset of the OMG-specified QoS. The following are the QoS properties that VisiNotify supports:

Priority

Setting/getting of Priority QoS is supported as per the OMG standard. Priority is represented as a short value, where -32,767 is the lowest priority and 32,767 the highest. The default priority for all events is 0 (zero). Priority can be set at message, proxy, admin, or channel levels. Note that setting this property on a per-ConsumerAdmin or per-proxy supplier basis has no meaning.

EventReliability

EventReliability QoS is supported as per the OMG standard. For performance reasons, each individual proxy supplier is not guaranteed to remember persistently what events it has sent to its associated consumer. Therefore, an event can be sent to a consumer more than once if the event channel crashes and restarts.

VBPersistentDbType

This property specifies the type of persistent storage being used for persisting events by the channel. VisiNotify stores persistent events either in memory mapped files or flat files depending on the value of this property. A value of `(CORBA::Short) 1` implies memory mapped persistency. A value of `(CORBA::Short) 2` implies flat file persistency.

The default is memory mapped persistency.

VBPersistentCommitSyncPolicy

The `VBPersistentCommitSyncPolicy` property specifies whether the channel should acknowledge a supplier only after successfully committing the event into persistent storage.

The constant values setting are:

- **True** - a channel acknowledges a supplier only after successfully committing a event into persistent storage.
- **False (default)** - a channel can acknowledge supplier (such as, return from a `push()` call) immediately before committing the event into persistent storage and perform a lazy commit, afterwards.

VBPersistentStorageOverflowBlockTimeout

There are times when a new event arrives in the channel and needs to be made persistent. However, there is a possibility that persistent storage is already full. To avoid this problem, the supplier can be blocked until space becomes available in persistent storage.

The `VBPersistentStorageOverflowBlockTimeout` property specifies how long the supplier should be blocked to wait for persistent storage to be freed up. Upon expiration of this time interval, the channel will attempt to downgrade one or more events to `BestEffort` to accommodate the new event (see [“VBPersistentOverflowDowngradePolicy”](#)).

The default value of this property is 0, meaning that the channel will not block, but instead it immediately attempts to downgrade queued events according to `VBPersistentOverflowDowngradePolicy`.

VBPersistentOverflowDowngradePolicy

The `VBPersistentOverflowDowngradePolicy` property controls how the channel will downgrade existing events to make way for a new (persistent) event if no space can be found in persistent storage despite waiting for `VBPersistentStorageOverflowBlockTimeout` seconds. If an event is downgraded, this means that its `EventReliability` is automatically set to `BestEffort`, regardless of the message/channel settings.

The constant values setting are:

- **AnyOrder (default)** - Lifo is used.
- **FifoOrder** - Events in the queue are downgraded in ascending order of the time of receipt of the event.
- **LifoOrder** - The new event is downgraded.

Note

If an event by itself cannot fit into persistent storage, it is downgraded immediately.

ConnectionReliability

`ConnectionReliability` is supported as per the OMG standard.

If `ConnectionReliability` is set to `Persistent` (at the appropriate channel/admin/proxy), `VisiNotify` attempts to recover the following:

- 1 All persistent channels with original policies, ids, IOR (of the channel) and all included events.
- 2 All persistent admins with original policies, ids, and IOR.
- 3 All persistent proxies with original policies, ids, IOR, attached suppliers/consumers.

If the `ConnectionReliability` of a proxy is not specified explicitly through `set_qos()`, then the default value is used for active proxies. For example, for proxy pull consumers and proxy push suppliers default to a setting of `Persistent` and the default for passive proxies are described for `vbroker.notify.channel.passiveProxyPersistenceMask`.

MaxEventsPerConsumer

The `MaxEventsPerConsumer` is supported as per the OMG standard.

DiscardPolicy

To facilitate implementation, such as persistent storage management, only OMG's AnyOrder, FifoOrder and LifoOrder are supported.

OrderPolicy

This QoS property sets the policy used by a given proxy to order the events it has buffered for delivery (either to another proxy or a consumer). AnyOrder, FifoOrder (default) and PriorityOrder are supported.

Note

This property has no meaning if set on a per-message basis.

VBQueueLowWaterMark

After the number of pending events in a proxy supplier queue has breached the VBQueueHighWaterMark level, (this is when a number of pending events subsequently falls below this value), this proxy informs the channel(s) to take the necessary action of unblocking or speeding up pushing and pulling event into the channel. See section on Flow Control for more details.

The default value for VBQueueLowWaterMark is 32.

VBQueueHighWaterMark

When the number of pending events in a proxy supplier queue is higher than the set value, this proxy informs the channel accordingly so that the channel can take action if necessary to block or slow down the rate of pushing and pulling events into the channel. See section on Flow Control for more details.

The default value for VBQueueHighWaterMark is computed by VisiNotify and depends on the user defined setting of the channel queue size (the channel's admin property) and the VBQueueLowWaterMark setting.

VBProxyPushSupplierThreadModel

Each proxy push supplier needs a thread to push the events in its queue to the connected push consumer. This property specifies whether a proxy should use a dedicated thread or a thread pool to push events.

Valid values are "dedicated" or "pool" with "pool" being the default value. Any illegal value is silently ignored. For additional information, see the static property section on configuring the thread pool. Setting this property on the channel or consumer admin will make all sub objects inherit this value. Setting this property on the supplier admin or any other type of proxy has no meaning and will be silently ignored.

VBProxyPushSupplierQueuePreemptWaterMark

This property is used to fine-tune the thread pool behavior and is applicable only when the [VBProxyPushSupplierThreadModel](#) is set to "pool" and the thread pool is restricted to have a finite number of threads to serve the proxy push suppliers. A proxy push object picks up a thread from the thread pool to push events to the connected thread pool. If this proxy object has a lot of pending events, it may end up hogging the thread, leaving other proxies starved. To have a control over this situation, a watermark in the queue of each proxy object can be set, so that on hitting the watermark, the thread gets preempted to serve a different proxy push supplier object.

The default value is computed by VisiNotify and depends on the queue size.

VBReceivedEventsCount

Indicates the number of events received. Trying to set any value on this property by using the `set_qos` API resets the counter to 0. The actual value passed in will be ignored.

VBPendingEventsCount

This is a read-only property and indicates the number of events pending in the queue.

VBDiscardedEventsCount

Indicates the number of events discarded due to queue overflow. Trying to set any value on this property by using the `set_qos` API resets the counter to 0. The actual value passed in will be ignored.

VBForwardedEventsCount

Indicates the total number of events forwarded downstream. Trying to set any value on this property by using the `set_qos` API resets the counter to 0. The actual value passed in will be ignored.

VBFilteredEventsCount

Indicates the total number of events discarded due to failed filter match. Trying to set any value on this property by using the `set_qos` API resets the counter to 0. The actual value passed in will be ignored.

Administration and Validation of QoS properties

The following interfaces and methods are supported for administration of QoS properties:

Interface CosNotification::QoSAdmin

This interface is supported by channels, supplier/consumer admins and proxy suppliers/consumers and allows clients of these objects to obtain and set the QoS properties.

However, there are some limitations on the level of support:

- If `set_qos()` is passed a VisiBroker-specific QoS, and the property value is bad, it is silently ignored and no exception is thrown. Exception is thrown for only OMG specified QoS.
- The propagation of QoS changes is passed down the channel/admin/proxy hierarchy only for OMG specified QoS and not VisiBroker-specific QoS.

Validating QoS in the header of structured events

This is not currently supported.

QoS negotiation

The following QoS negotiation APIs are not currently supported, including:

- `CosNotification::QoSAdmin::validate_qos()`
- `CosNotifyChannelAdmin::ProxySupplier::validate_event_qos()`
- `CosNotifyChannelAdmin::ProxyConsumer::validate_event_qos()`

Channel Admin Properties

The following interfaces are supported for the Channel Admin:

Interface

CosNotification::AdminPropertiesAdmin

This interface is supported by the notification and typed notification event channels. It is used to retrieve and set the admin properties on the channel(s).

The following OMG defined properties are supported:

- `MaxQueueLength`
- `MaxConsumers`
- `MaxSuppliers`
- `RejectNewEvents`

VBPersistentStorageSize

A persistent event (for instance, a channel that has `EventReliability` set to `persistent`) needs to be stored in persistent storage. This admin property allows restriction on the size of the storage space to prevent `VisiNotify` from overrunning the disk space. `VisiNotify` stores persistent events in files. This admin property specifies the maximum size of this file in kilobytes.

The default value for `VBPersistentStorageSize` is 1024. Its type is `CORBA::Ulong`.

Static Properties

Unlike the QoS properties, the Static properties can be set only at startup time of the Notification Service and not during the execution of the service. The Static properties are specified just like any `VisiBroker ORB` properties such as, using `-D<property_name>=<property_value>`.

The following properties are supported:

vbroker.notify.console

```
vbroker.notify.console = <Boolean>
```

This property controls the Notification Service to display the message, "Notification Service is ready" in the `VisiBroker Console`.

The supported values for the `vbroker.notify.console` property are:

- **True (default)** - prints the message.
- **False** - does not print the message.

vbroker.notify.listener.port

```
vbroker.notify.listener.port = <ULong>
```

This is an alias for `vbroker.se.iiop_tp.scm.iiop_tp.listener.port`.

The default value of the `vbroker.notify.listener.port` property is 14100.

vbroker.notify.factory.name

```
vbroker.notify.factory.name = <string>
```

The `vbroker.notify.factory.name` property specifies the default factory name, which is created by the Notification Service. The application can do a `_bind()` to obtain a reference to the factory instead of doing a `resolve_initial_references()`.

The default value of this property is `VisiNotifyChannelFactory`.

vbroker.notify.channel.name

```
vbroker.notify.channel.name = <string>
```

The `vbroker.notify.channel.name` property specifies the name of the default channel that is created by the Notification Service. The application can do a `_bind()` to obtain a reference to the default channel instead of having to explicitly create one.

The default value of this property is `default_channel`.

vbroker.notify.channel.threadMaxIdle

```
vbroker.notify.channel.threadMaxIdle = <ULong>
```

The `vbroker.notify.channel.threadMaxIdle` property specifies that if a channel/proxy push supplier has waited for `threadMaxIdle` seconds and no event arrives in the queue during this time, the channel will release the thread that waits for events. The channel will restart the thread when a new event arrives.

The default value of this property is three seconds.

vbroker.notify.enableEventQoS

```
vbroker.notify.enableEventQoS = <Boolean>
```

The `vbroker.notify.enableEventQoS` property specifies whether the channel should make use of event-level QoS to deliver an event. If set to `True`, the performance of the channel is significantly degraded.

The supported values are:

- **True** - the channel will make use of event-level QoS when delivering event, such as `EventReliability`.
- **False (default)** - the channel ignores event-level QoS when delivering an event. Instead, the QoS setting at the proxy/admin/channel is adopted.

vbroker.notify.dir

```
vbroker.notify.dir = <string>
```

The `vbroker.notify.dir` specifies the file directory or database table name of the VisiNotify persistent storage root. If the `ConnectionPersistence QoS` is set at the appropriate levels, VisiNotify will persist the following objects in the repository (depending on `EventReliability` and `ConnectionReliability QoS` policy):

- events
- channels
- consumer and supplier admins
- proxies
- channel admin properties, QoS, filters

The default value of this property is `./visinotify.dir`.

vbroker.notify.ir

```
vbroker.notify.ir = <string>
```

The `vbroker.notify.ir` property specifies the IR to be used by VisiNotify. The string that is specified can either be an IOR or a URL string (for example, `corbaloc`).

The default value of this property is null. In this case, VisiNotify tries to bind to the IR using `osagent`.

vbroker.notify.channel.persistentStorageSize

```
vbroker.notify.channel.persistentStorageSize = <ULong>
```

The `vbroker.notify.channel.persistentStorageSize` property is similar to the `VPersistentStorageSize` channel admin property, except that it is used only for the first time the channel is started. Subsequently, VisiNotify will retrieve the current setting from persistent storage.

The default value of this property is `VPersistentStorageSize`.

vbroker.notify.channel.persistentCommitPolicy

```
vbroker.notify.channel.persistentCommitPolicy = <Boolean>
```

The `vbroker.notify.channel.persistentCommitPolicy` property is similar to `VPersistentCommitSyncPolicy`, except that it is used only the first time the channel is started. Subsequently, VisiNotify will retrieve the current setting from persistent storage.

The default value of this property is `VPersistentCommitSyncPolicy`.

vbroker.notify.channel.persistentOverflowBlock Timeout

```
vbroker.notify.channel.persistentOverflowBlockTimeout =  
<ULong>
```

The `vbroker.notify.channel.persistentOverflowBlockTimeout` property is similar to `VPersistentStorageOverflowBlockTimeout`, with the exception that `vbroker.notify.channel.persistentOverflowBlockTimeout` is used only during the initial start up of the channel. Subsequently, VisiNotify will retrieve the current setting from persistent storage.

The default value of this property is `VPersistentStorageOverflowBlockTimeout`.

vbroker.notify.channel.persistentDowngradePolicy

```
vbroker.notify.channel.persistentDowngradePolicy = <ULong>
```

The `vbroker.notify.channel.persistentDowngradePolicy` property is similar to `VBPersistentOverflowDowngradePolicy`, with the exception that `vbroker.notify.channel.persistentDowngradePolicy` is used only during the initial start up of the channel. Subsequently, `VisiNotify` will retrieve the current setting from persistent storage.

The valid values supported are:

- AnyOrder (0)
- FifoOrder (1)
- LifoOrder (4)

If the value is set to anything else, the channel silently adopts a value of 0 (AnyOrder).

vbroker.notify.channel.persistentEvent

```
vbroker.notify.channel.persistentEvent = <Boolean>
```

The `vbroker.notify.channel.persistentEvent` property is similar to `EventReliability`, with the exception that it is used only during the initial start up of the channel. Subsequently, `VisiNotify` will retrieve the current setting from persistent storage.

A value of `True` sets the channel's `EventReliability` to `Persistent`, otherwise, it is set to `BestEffort`.

vbroker.notify.channel.iorFile

```
vbroker.notify.channel.iorFile = <string>
```

The `vbroker.notify.channel.iorFile` property specifies the filename where `VisiNotify` can dump the IOR of the default channel. It uses the same syntax as in 3.x version, `-ior <filename>` option.

The default value of this property is null.

vbroker.notify.channel.passiveProxyPersistenceMask

```
vbroker.notify.channel.passiveProxyPersistenceMask =  
<Boolean>
```

In general, it may not be necessary to persist a passive proxy (proxy push consumer or proxy pull supplier) because after a system crashes and restart, the user of such a proxy may no longer exist.

This property is used to derive the default `ConnectionReliability` setting of a passive proxy, using the following setting:

- let admin's persistence setting = 1 if admin's `ConnectionReliability` = `Persistent`, else let it be 0.
- default persistence of proxy = (this property setting) && (its admin's persistence setting)

If this default persistence has a value of `True`, the default `ConnectionReliability` setting of a passive proxy is set to `Persistent`, otherwise, it is set to `BestEffort`.

The default value of this property is `False`.

vbroker.notify.channel.maxDelay

```
vbroker.notify.channel.maxDelay = <ULong>
```

The `vbroker.notify.channel.maxDelay` property is a setting that controls the delay (in milliseconds) that a proxy push supplier conditionally applies when delivering an event to its consumer. It also can be used to tune the performance of the channel.

The default value of this property is 2000 milliseconds. The minimum and maximum values are 20 and 2000, respectively.

vbroker.notify.threadPool.threadMax

```
vbroker.notify.threadPool.threadMax = <ULong>
```

This property specifies the maximum number of threads that can be present at any one time in the thread pool.

The default value of this property is 0, indicating unlimited concurrency.

vbroker.notify.threadPool.threadMin

```
vbroker.notify.threadPool.threadMin = <ULong>
```

This property specifies the minimum number of threads that can be present at any time in the thread pool.

The default value of this property is 0.

vbroker.notify.threadPool.threadMaxIdle

```
vbroker.notify.threadPool.threadMaxIdle = <ULong>
```

This property specifies the time, in seconds, that a thread in the thread pool can idle. After the idle time, the thread is garbage collected.

The default value of this property is 300 seconds.

vbroker.log.enable

```
vbroker.log.enable = <Boolean>
```

To see the debug log statements from this service, set this property to true. For the various source names options for debug log filtering, see the “Debug Logging properties” section of the *VisiBroker for C++ Developer's Guide*.

Levels of Support

The following table shows the level of support for each QoS property:

Property	Supported Values	Per Msg	Per Proxy	Per Admin	Per Channel	Comment
1. General						
Priority	A value of Short	Yes	Yes	Yes	Yes	The values range from -32767 to +32767.
2. Event Persistence						
EventReliability	<ul style="list-style-type: none"> BestEffort Persistent 	Yes	No	No	Yes	For Persistent events, the same event can be delivered to a consumer more than once.
VBPersistentDbType	Value of Short	No	No	No	Yes	Value of 1 (default) implies Memory mapped persistency Value of 2 implies flat file persistency
VBPersistentCommitSync Policy (extension)	<ul style="list-style-type: none"> False (default) True 	No	No	No	Yes	
VBPersistentStorage OverflowBlock Timeout (extension)	Any value of ULong	No	No	No	Yes	In seconds
VBPersistentStorage Overflow DowngradePolicy (extension)	<ul style="list-style-type: none"> AnyOrder (0) FifoOrder (1) LifoOrder (4) 	No	No	No	Yes	
3. Connection Persistent						
ConnectionReliability	<ul style="list-style-type: none"> BestEffort Persistent 	No	Yes	Yes	Yes	
4. Queue Overflow Handling						
MaxEventsPerConsumer	Per OMG specification	No	Yes (proxy supplier only)	Yes (consumer admin only)	Yes	
DiscardPolicy	<ul style="list-style-type: none"> AnyOrder (default) FifoOrder LifoOrder 	No	Yes (proxy supplier only)	Yes (consumer admin only)	Yes	
5. Event Expiry						

Property	Supported Values	Per Msg	Per Proxy	Per Admin	Per Channel	Comment
StopTime	Not supported	Yes	No	No	No	
Timeout	Not supported	Yes	Yes	Yes	Yes	
StopTimeSupported	Not supported	No	Yes	Yes	Yes	
6. Event Delivery						
StartTime	Not supported	Yes				
StartTimeSupported	Not supported	No	Yes	Yes	Yes	
OrderPolicy	<ul style="list-style-type: none"> AnyOrder FifoOrder (default) PriorityOrder 	No	Yes	Yes	Yes	
MaximumBatchSize	Not supported	No	Yes	Yes	Yes	
PacingInterval	Not supported	No	Yes	Yes	Yes	
7. Flow Control						
VQueueLowWaterMark (extension)	A ULong value	No	Yes (proxy supplier only)	Yes (consumer admin only)	Yes	
VQueueHighWaterMark (extension)	A ULong value	No	Yes (proxy supplier only)	Yes (consumer admin only)	Yes	

Event Filtering using Filter Objects

The OMG Notification Service specification defines two kinds of filters.

- Forwarding Filter
- Mapping Filter

The Forwarding filter allows events to be forwarded if it satisfies a constraint set by the clients. Thus, consumers can use forwarding filters to receive only events that interest them. The forwarding filter objects implement the `CosNotifyFilter::Filter` interface.

The Mapping filter enables consumers to change the priority and lifetime properties of events which satisfies a constraint. Mapping filter objects implements the `CosNotifyFilter::MappingFilter` interface. However, VisiNotify currently does not support mapping filters.

Filtering Events

The VisiNotify event filtering is performed on structured events, typed events and sequence of events. There is no filtering support for untyped events. For a sequence of events, VisiNotify only filters the first event in the sequence. If the first event in the sequence does not satisfy the filter then the entire sequence is discarded.

Note

Refer to the OMG Notification Service specification, Section 2, for more information on each event (structured, typed, and sequence).

Forwarding Filter Evaluation

A filter object can be attached to a target object such as consumer/supplier proxy or consumer/supplier admin objects. Any given filter object can have a set of constraints and each constraint is expressed in the Extended Trader Constraint Language (TCL). A constraint expression either evaluates to `TRUE` (indicating that an event satisfies the constraint) or `FALSE` (indicating otherwise).

As long as one of the constraints is set to `TRUE`, the filter object will forward the event immediately. An event is discarded if the target object has its attached filters set to `FALSE`. For more information about writing constraint expressions see [“Writing Filter Constraint Expressions” on page 88](#), and for more information about Extended TCL see [“Extended Trader Constraint Language \(Extended TCL\)” on page 89](#).

When a forwarding filter object is attached to an admin object, then all proxy objects associated with the admin object apply the forwarding filter. If there are no filters applied to a proxy or admin object then all events received are forwarded to the next delivery point.

When filters are attached to an admin object along with its proxies, then event forwarding depends on whether the admin object was created with `AND` or `OR` semantics. An admin object created with `AND` semantics implies that an event must pass both admin and its proxy filters. An admin object created with `OR` semantics implies that events must pass either admin or its proxy filters.

You can create a consumer admin by invoking `new_for_consumers()` on the channel and pass the value `AND_OP` (for `AND` semantics) or `OR_OP` (for `OR` semantics) to set the inter-filter group operator semantics on the consumer admin object. Likewise, you can create a supplier admin by invoking `new_for_suppliers()`. Calling `default_consumer_admin()` or `default_supplier_admin()` on the channel will return the default consumer admin or supplier admin, respectively, with `AND` semantics.

Note

Refer to the OMG Notification Service specification (Section 3.4 - The `CosNotifyChannelAdmin` Module) for more information on the methods used with the `AND` or `OR` semantics.

Using Forwarding Filters

Use the following steps to apply a forwarding filter:

- 1 Obtain a Forwarding Filter Factory.** `VisiNotify` provides a default filter factory. To obtain a reference to it simply invoke the method `default_filter_factory()` on the following channel:

```
CosNotifyFilter::FilterFactory_var ffact = channel-
>default_filter_factory();
```

- 2 Create a Forwarding Filter object.** `VisiNotify` only supports the Extended Trader Constraint Language as specified by the OMG Notification Service. To create a filter that specifies the constraints, simply invoke the method `create_filter(EXTENDED_TCL)` on the filter factory object obtained in Step 1.

```
CosNotifyFilter::Filter_var filter = ffact-
->create_filter( "EXTENDED_TCL" );
```

- 3 Creating constraints.** For any given filter object a set of constraints can be associated with it. The constraint expression is written in Extended TCL.

The following shows how to create a set of constraints and simple constraint expression.

```
CosNotifyFilter::ConstraintExpSeq constraints;
constraints.length(1); // contains 1 constraint
constraints[0].constraint_expr = CORBA::string_dup(
"$balance == 123.45");
```

Note

To learn more about the Extended TCL see [“Extended Trader Constraint Language \(Extended TCL\)” on page 89](#) and refer to the OMG Notification Service specification (Section 2.4 - The Default Filter Constraint Language).

- 4 Adding constraints to a filter object.** To add a set of constraints simply invoke the method `add_constraints` on the filter object obtained in Step 2 passing in the set of constraints created in Step 3.

```
filter->add_constraints( constraints );
```

Note

Refer to the OMG Notification Service specification (Section 3.2.1 - The Filter Interface) to learn more about other operations such as modifying or obtaining constraints from a filter object.

- 5 Adding a filter to a target object.** The target object can be an admin object or a proxy object. The creation of the target object is required before the filter object is attached to it. This example shows a structured push supplier proxy:

```
// create a structured push supplier proxy
CosNotifyChannelAdmin::ProxyID proxy_id;
CosNotifyChannelAdmin::ProxySupplier_var proxy
= admin->obtain_notification_push_supplier
CosNotifyChannelAdmin::STRUCTURED_EVENT, proxy_id);
CosNotifyChannelAdmin::StructuredProxyPushSupplier_var
supplier =
CosNotifyChannelAdmin::StructuredProxyPushSupplier::
_narrow(proxy);
```

To attach the filter object to a target object simply invoke `add_filter` on the target object. The `add_filter` operation accepts a filter object and returns a filter id unique to the particular target object. This example shows `add_filter` being invoked on a structured push supplier proxy and is passed a filter object created in Step 2.

```
CORBA::Long filter_id;
Filter_id = supplier->add_filter( filter );
```

Note

Refer to the OMG Notification Service specification (Section 3.2.4 - The FilterAdmin Interface) to learn more about other operations such as modifying or obtaining filters from a target object.

Forwarding Filter Limitation

VisiNotify currently does not support the following filter object methods:

- attach_callback
- detach_callback
- get_callbacks

Note

Refer to the OMG Notification Service specification (Section 2.6 - Sharing Subscriptions and Section 2.6.5 - Obligations on Filter Objects) to learn more about these methods and sharing subscriptions.

Writing Filter Constraint Expressions

A constraint expression is a boolean expression (that is, it evaluates with either `TRUE` or `FALSE`). A constraint expression typically refers to event data, which also includes filterable data that the application is most likely to base filtering decisions.

Contents of a structured event

A structured event is defined in `CosNotification.idl` as follows:

```
...
typedef string Istring;
typedef Istring PropertyName;
typedef any PropertyValue;

struct Property {
    PropertyName name;
    PropertyValue value;
};
typedef sequence<Property> PropertySeq;

typedef PropertySeq OptionalHeaderFields;
typedef PropertySeq FilterableEventBody;

struct EventType {
    string domain_name;
    string type_name;
};
struct FixedEventHeader {
    EventType event_type;
    string event_name;
};

struct EventHeader {
    FixedEventHeader fixed_header;
    OptionalHeaderFields variable_header;
};

struct StructuredEvent {
    EventHeader header;
    FilterableEventBody filterable_data;
    any remainder_of_body;
};
...
```

Contents of a typed event

A typed event contains a sequence of name-value pairs in which the first item in the sequence refers to a `CosNotification::EventType` that contains `domain_name` referring to the name of the typed interface and `type_name` referring to the name of the operation in that interface. The remaining items in the sequence of name-value pairs are filterable data in which each item contains a name referring to an input parameter for the operation within the typed interface and the value refers to the parameter value for that operation.

For example, an application may use the following IDL for a typed event:

```
interface foo {
    void bar( in string first, in long second );
};
```

In this example, the typed event `foo::bar` is received and the second item in the sequence of name-value pairs will be named `first` paired with a string value and the third item in the sequence will be named `second` paired with a long value.

Note

For details on structured events and typed events please refer to the OMG Notification Service V1.0 specification, Section 2.2, "Structured Events," and Section 2.7, "Filtering Typed Events."

Extended Trader Constraint Language (Extended TCL)

The OMG Notification Service V1.0 specifies the Extended Constraint Language as the default filter constraint language. Extended TCL is based on the Trader Constraint Language (TCL) from the OMG Trading Service and in addition, has a few extensions and changes made.

Note

See the OMG Notification Service V1.0 specification, Section 2.4.1 for details on the changes made to TCL.

A constraint expression written in Extended TCL evaluates to either a `TRUE` or `FALSE` value. These two values are reserved words in TCL. The value of `TRUE` in Extended TCL is 1 and the value of `FALSE` is 0 (zero). Hence, we can have an expression like the following:

```
TRUE + TRUE
```

that will yield a result of 2. Sub-expressions can be specified by surrounding the sub-expression with brackets like the following:

```
(TRUE + TRUE) == 2
```

Accessing event data

Extended TCL supports the means of referring to complex data types (that is, the IDL types of `struct`, `enum`, `union` and `any`) within an event. An event is represented by a `$` (dollar sign) symbol and attributes within an event are referenced by using a `.` (period) symbol similar to the C++ or Java programming constructs used today.

For example, in order to refer to a structured event's fixed header `event_name` attribute, we would write:

```
$.header.fixed_header.event_name
```

In a typed event, if the application has an interface named `foo` that has an operation named `bar` that takes in its first parameter a string called `first`, we would refer to it by writing:

```
$.first
```

Note

When the event data does not exist or if the data types of both operands for an operation do not match (for example 'A String' == 3.14) then the constraint will evaluate to FALSE.

Short-hand notation

It is possible to refer to specific reserved attributes in an event as well as filterable data by using run-time variables in Extended TCL. A run-time variable is represented by prefixing a \$ (dollar sign) symbol before the identifier name. For example, `$event_name` would actually be the same as writing `$.header.fixed_header.event_name`. When run-time variables are used, the identifier is matched with reserved attributes within an event. If the identifier is not a reserved attribute within an event then it is matched with the filterable data.

Note

Please refer to OMG Notification Service V1.0 specification, Section 2.4.5 for further details on Short-hand Notation for Filtering a Generic Event.

Positional notation

The current version of VisiNotify does not support positional notation.

Equality, relational and logical operators

Extended TCL uses the same operators as those used in normal TCL plus additional operators added by the OMG Notification Service V1.0 specification.

Note

The operators in the following table evaluate to either TRUE or FALSE

Operator	Description	Example
==	Equality	<code>(\$.one + \$.two) == 3</code>
!=	Inequality	<code>(\$.one + \$.two) != 4</code>
<	Less than	<code>(\$.one + \$.two) < 3</code>
<=	Less than or equals	<code>(\$.one + \$.two) <= 3</code>
>	Greater than	<code>(\$.one + \$.two) > 1</code>
>=	Greater than or equals	<code>(\$.one + \$.two) >= 2</code>
in	Checks if the left operand is a simple primitive type and is contained in right operand which is a sequence of the same primitive type	<code>\$.one in \$.list_of_nums</code>
~	Substring operator to check if the left operand string is contained in the right operand string	<code>'Notify' ~ 'VisiNotify'</code>
exist	Test to see if an identifier exists	<code>exist \$.one</code>
and	Logical AND	<code>(\$.one == 1) and (\$.two == 2)</code>
or	Logical OR	<code>(\$.one == 1) or (\$.two == 2)</code>
not	Logical NOT	<code>not exist \$.one</code>
default	Applies to discriminated union data only. Checks if a discriminated union has a default member	<code>Default \$.myUnion</code>

Arithmetic operators

The result type of the operators in the following table depends on the type of the operands. The strongly typed operand dictates the resultant data type.

Note

Character data can be used in arithmetic operations. A string with a length of one is also considered as a character.

Operator	Description	Example
+	Addition	\$.one + \$.two
-	Subtraction	\$.one - \$.two
*	Multiplication	\$.one * \$.two
/	Division	\$.two / \$.one

Subscript operator

Arrays and sequences can be accessed via the subscript operator `[n]`. For example, in order to access the second element of an array we would write:

```
$myArray[1]
```

Lookup for name-value pairs

Name-value pair sequences are often found in events, especially the filterable data that is a name-value pair sequence. As an example, we can access the filterable data by writing an expression such as the following:

```
$.filterable_data[2].name == "balance" and  
$.filterable_data[2].value > 100)
```

Expressions like these can be lengthy, hence Extended TCL allows short-form notation like the following:

```
$.filterable_data(balance) > 100
```

Reserved implicit members

Extended TCL makes use of reserved member attributes for the event as well as complex data. Below is a table of the reserved member attribute names and their purpose.

Attribute	Description	Example
<code>_length</code>	Length for an array or sequence	<code>\$.mySequence._length</code>
<code>_d</code>	Discriminator for a discriminated union	<code>\$.myUnion._d</code>
<code>_type_id</code>	Unscoped IDL type name	<code>\$.myData._type_id</code>
<code>_repos_id</code>	Repository ID	<code>\$.myData._repository_id</code>

Index

Symbols

- ... ellipsis 1
- symbols
 - square brackets 1
 - | vertical bar 1

A

- Active typed pull consumer 68

B

- brackets 1

C

- Channel Admin Properties 79
 - VBPersistentStorageSize 79
- ChannelException 72
- commands
 - conventions 1

D

- documentation
 - .pdf format 3
 - accessing Help Topics 1
 - platform conventions used in 2
 - type conventions used in 1
 - updates on the web 3
- downstream end of a channel 6

E

- EJB bean as a structured Notification consumer
 - developing 33
 - example 34
- EJB Bean as typed notification consumer
 - developing 32
- Event Buffering/Batch
 - disabling consumer-side 35
 - disabling supplier-side 35
 - mechanism 35
- Event Filtering 85
 - forward filter 85
 - forward filter evaluation 86
 - using forwarding filters 86

F

- Filter
 - Limitation on Forwarding 88
- Filtering
 - Event 85
- Filters
 - evaluation on forwarding 86
 - using forwarding filters 86
 - VisiNotify 85
- Flush buffered events 35
- Forwarding Filter Limitation 88

H

- Help Topics
 - accessing 1

J

- Java RMI remote interface
 - user defined example 29

N

- notification channels 8
- Notification Communication Model 6
- Notification Service QoS 72

O

- OMG Event/Notification Service Object Model 6
- OMG Typed Notification Service
 - using 23
- online Help Topics
 - accessing 1

P

- Passive typed pull consumer 66
- PDF documentation 3
- PSA Summary 72
- Publish a Subject 58
- Publish Descriptor 65
- Publish Subscribe Adapter (PSA)
 - introduction 39
 - using 39
- Publish()
 - examples 61
- Publish/Subscribe Adapter (PSA)
 - Additional topics and summary 72
- publish/subscribe applications 5
- pull consumer applications
 - developing 16
 - example 16
- pull supplier applications
 - developing 19
 - example 20
- push consumer applications
 - developing 13
 - example 14
- push supplier applications
 - developing 17
 - example 18

Q

- QoS and Filter support 11
- QoS Property
 - Levels of Support 83
- Quality of Service (QoS) 75
 - VisiNotify 75
- Quality of Service (QoS) Negotiation 78
- Quality of Service (QoS) properties
 - Administration and Validation 77
 - ConnectionReliability 76

- DiscardPolicy 76
- EventReliability 75
- MaxEventsPerConsumer 76
- OrderPolicy 77
- Priority 75
- VBPersistentCommitSyncPolicy 75
- VBPersistentDbType 75
- VBPersistentOverflowDowngradePolicy 76
- VBPersistentStorageOverflowBlockTime out 76
- VBQueueHighWaterMark 77
- VBQueueLowWaterMark 77

R

- RMI typed consumer
 - developing 29
- RMI typed push consumer
 - example 30
- RMI typed supplier
 - developing 31
 - example 32
- RMI/EJB application
 - developing 28
 - using OMG Typed Event/Notification Service 29

S

- single directional event distribution 5
- square brackets 1
- Static Properties 79
 - vbroker.notify.channel.iorFile 82
 - vbroker.notify.channel.maxDelay 82
 - vbroker.notify.channel.passiveProxyPersistenceMask 82
 - vbroker.notify.channel.persistentCommitPolicy 81
 - vbroker.notify.channel.persistentDowngradePolicy 81
 - vbroker.notify.channel.persistentEvent 82
 - vbroker.notify.channel.persistentOverflowBlockTimeout 81
 - vbroker.notify.channel.persistentStorageSize 81
 - vbroker.notify.channel.threadMaxIdle 80
 - vbroker.notify.console 79
 - vbroker.notify.dir 80
 - vbroker.notify.enableEventQoS 80
 - vbroker.notify.factory.name 80
 - vbroker.notify.listener.port 80
- structured and typed push supplier
 - example 50
- structured Notification consumer
 - developing 33
- Subject Reference, Observer ID, and Properties to Subscribe() 54
- Subject Reference, Provider ID, and Properties to Publish() 60
- SubjectDeliveryScheme values 60

- SubjectInterfaceScheme values 60
- SubjectScheme 53
- Subscribe a subject 52
- Subscribe Descriptor 58
- Subscribe()
 - examples 55
- subtool 10
 - connecting to a structured event bean 34
- symbols
 - ellipsis ... 1
 - vertical bar | 1

T

- Thread on demand 11
- TMN.Notification remote interface
 - example 33
- type push consumer applications
 - developing 23
 - example 24
- type push supplier applications
 - developing 26
 - example 27
- typed event consumer application
 - example 40
- Typed Event/Notification Service 22
- typed Notification consumer supplier
 - developing 32
- Typed pull supplier 69
- Typed Push Consumer 47

U

- Unpublish a subject 65
- Unsubscribe a Subject 58
- upstream end of a channel 6

V

- VisiNotify
 - Naming Service and 8
- VisiNotify features 8
 - Connection persistence 10
 - event persistence 9
 - Publish/Subscribe Adapter (PSA) 9
 - QoS and filter support 11
 - Self-adaptive asynchronous flow control 11
 - throughput and scalability 8
 - Typed channel support 9
 - Typed pulling 10
 - Valuetype support 9